

Report 4102

GVTDOC
D 211.
9:
4102

SHIP RESEARCH AND DEVELOPMENT CENTER

Bethesda, Maryland 20034



THE CONVERGING FACTORS FOR THE FRESNEL INTEGRALS

by
John W. Wrench Jr.
and
Vicki Alley

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

COMPUTATION AND MATHEMATICS DEPARTMENT
RESEARCH AND DEVELOPMENT REPORT

20070119018

June 1973

Report 4102

JAN 8 1976

Best Available Copy

THE CONVERGING FACTORS FOR THE FRESNEL INTEGRALS


The Naval Ship Research and Development Center is a U. S. Navy center for laboratory effort directed at achieving improved sea and air vehicles. It was formed in March 1967 by merging the David Taylor Model Basin at Carderock, Maryland with the Marine Engineering Laboratory at Annapolis, Maryland.

Naval Ship Research and Development Center

Bethesda, Md. 20034

MAJOR NSRDC ORGANIZATIONAL COMPONENTS

*REPORT ORIGINATOR



DEPARTMENT OF THE NAVY
NAVAL SHIP RESEARCH AND DEVELOPMENT CENTER
BETHESDA, MD. 20034

THE CONVERGING FACTORS FOR THE
FRESNEL INTEGRALS

by
John W. Wrench Jr.
and
Vicki Alley



APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

June 1973

Report 4102

TABLE OF CONTENTS

	<u>Page</u>
ABSTRACT.	1
ADMINISTRATIVE INFORMATION.	1
INTRODUCTION.	2
THE FRESNEL INTEGRALS	4
THE ASYMPTOTIC SERIES FOR THE FRESNEL INTEGRALS AND THEIR CONVERGING FACTORS.	6
CALCULATION OF THE CONVERGING FACTORS AND THEIR DERIVATIVES	10
APPLICATIONS.	17
APPENDIX A - VALUES OF $\Pi_{s+\frac{1}{2}}'(s+\frac{1}{2})$ AND OF ITS REDUCED DERIVATIVES. . .	21
APPENDIX B - VALUES OF $\Pi_{s+\frac{1}{2}}(s)$, $\Pi_{s-\frac{1}{2}}(s)$, and $\Pi_{s+\frac{1}{2}}'(s-\frac{1}{2})$	93
APPENDIX C - VALUES OF $\Omega_{s+\frac{1}{2}}(s)$, $\Omega_{s-\frac{1}{2}}(s)$, $\Omega_{s+\frac{1}{2}}'(s-\frac{1}{2})$, and $\Omega_{s-\frac{1}{2}}(s-\frac{1}{2})$. .	97
APPENDIX D - VALUES OF THE FRESNEL INTEGRALS $S_2(x)$, $C_2(x)$, $S(x)$, and $C(x)$	101
APPENDIX E - VALUES OF THE ROCKET FUNCTIONS $rr(x)$ and $ri(x)$	105
REFERENCES.	107

LIST OF TABLES

	<u>Page</u>
Table 1 - Table of $\Pi_{s+\frac{1}{2}}(s+\frac{1}{2})$ and its reduced derivatives D_i to 35D for $s = 1(1)70$	22
Table 2 - $\Pi_{s+\frac{1}{2}}(s)$ to 33 decimal places for $s = 1(1)70$	94
Table 3 - $\Pi_{s-\frac{1}{2}}(s)$ to 33 decimal places for $s = 1(1)71$	95
Table 4 - $\Pi_{s+\frac{1}{2}}(s-\frac{1}{2})$ to 33 decimal places for $s = 1(1)70$	96
Table 5 - $\Omega_{s+\frac{1}{2}}(s)$ to 33 decimal places for $s = 1(1)70$	98
Table 6 - $\Omega_{s-\frac{1}{2}}(s)$ to 33 decimal places for $s = 1(1)71$	98
Table 7 - $\Omega_{s+\frac{1}{2}}(s-\frac{1}{2})$ to 33 decimal places for $s = 1(1)70$	99
Table 8 - $\Omega_{s-\frac{1}{2}}(s-\frac{1}{2})$ to 33 decimal places for $s = 1(1)70$	99
Table 9 - $S_2(x)$ to 28 decimal places for $x = 1(1)70$	102
Table 10 - $C_2(x)$ to 28 decimal places for $x = 1(1)70$	102
Table 11 - $S(x)$ and $C(x)$ to 28 decimal places for $x = 1(1)6$	103
Table 12 - $rr(x)$ to 28 decimal places for $x = 1(1)70$	106
Table 13 - $ri(x)$ to 28 decimal places for $x = 1(1)70$	106

ABSTRACT

The theory of the converging factors for the Fresnel integrals is developed from that of the converging factors for the sine and cosine integrals, and is then applied to the calculation on a CDC 6700 system of tables of these factors and their reduced derivatives to about 35 decimal places. The factors were used in conjunction with appropriately truncated asymptotic series to produce appended 28-place tables of the Fresnel integrals $S_2(x)$, $C_2(x)$ and of the closely related rocket functions $rr(x)$ and $ri(x)$, for successive integer values of x from 1 through 70. An abridged 28-place table of $S(x)$ and $C(x)$, for x ranging from 1 through 6, is also included.

ADMINISTRATIVE INFORMATION

Work on this research was authorized by the Naval Ship Systems Command under the Mathematical Sciences Program. Necessary funds were allocated under Subproject SR0140301, Task 15324, Program Element 61153N, Work Unit Number 1-1802-001.

INTRODUCTION

The Fresnel integrals are encountered in the mathematical analysis of a variety of physical problems, typified by the diffraction of light passing through an aperture and by the reduction of the level of sound by barriers such as solid walls. These integrals also appear in the parametric equations of transition curves used in the design of highways. Moreover, they are closely related to the error function of a complex argument, and thereby to certain functions involved in the mathematical theory of rocket flight.

It was in connection with his study of the diffraction of light that Fresnel¹ published in 1826 the first table of approximate numerical values of these integrals (correct to about three decimal places). Subsequently, a large number of more elaborate tables have appeared. These are listed by A. Fletcher² and his associates. Especially noteworthy tabulations include: the five-place table of Wijngaarden and Scheen³, published in 1949; a seven-place Russian table⁴ published in 1953; the six-place table of Pearcey⁵ (1956); and the abridged seven-place table (with auxiliary functions to 15 decimals) in the National Bureau of Standards Handbook of Mathematical Functions⁶, first published in 1964.

In this report methods are developed for the expeditious computation of converging factors for the Fresnel integrals, which, in conjunction with appropriately truncated asymptotic series, permit the numerical evaluation of these integrals to high precision. Specifically, these converging factors and their reduced derivatives are herein tabulated to 33 and 35 decimal places (Tables 1 - 8).

^T References are listed on page 107.

The corresponding algorithms were programmed for the CDC 6700 system and have been used to calculate 28-place tables of the Fresnel integrals $S_2(x)$ and $C_2(x)$ for $x = 1(1)70$ (Tables 9 and 10). The related rocket functions $rr(x)$ and $ri(x)$ were also calculated to 28 decimals for the same values of the argument (Tables 12 and 13).

This computer program was also used to evaluate the Fresnel integrals $S(x)$ and $C(x)$, which are equivalent to $S_2(\frac{\pi x^2}{2})$ and $C_2(\frac{\pi x^2}{2})$. These results, for $x = 1(1)6$, are also included in this report (Table 11).

THE FRESNEL INTEGRALS

The sine and cosine Fresnel integrals have been defined in a variety of equivalent ways in the mathematical literature.⁶

Thus, we find the representations

$$S(z) = \int_0^z \sin\left(\frac{\pi}{2} t^2\right) dt \quad , \quad (1)$$

$$C(z) = \int_0^z \cos\left(\frac{\pi}{2} t^2\right) dt \quad , \quad (2)$$

and

$$S_1(x) = \sqrt{\frac{2}{\pi}} \int_0^x \sin t^2 dt \quad , \quad (3)$$

$$C_1(x) = \sqrt{\frac{2}{\pi}} \int_0^x \cos t^2 dt \quad , \quad (4)$$

and

$$S_2(x) = \frac{1}{\sqrt{2\pi}} \int_0^x \frac{\sin t}{\sqrt{t}} dt = \frac{1}{2} \int_0^x J_{\frac{1}{2}}(t) dt \quad , \quad (5)$$

$$C_2(x) = \frac{1}{\sqrt{2\pi}} \int_0^x \frac{\cos t}{\sqrt{t}} dt = \frac{1}{2} \int_0^x J_{-\frac{1}{2}}(t) dt \quad , \quad (6)$$

where $J_{\frac{1}{2}}(t)$ and $J_{-\frac{1}{2}}(t)$ are the ordinary Bessel functions of the first kind of orders $\frac{1}{2}$ and $-\frac{1}{2}$, respectively.

These three pairs of functions are related by the equations

$$S(x) = S_1\left(x \sqrt{\frac{\pi}{2}}\right) = S_2\left(\frac{\pi}{2} x^2\right) \quad (7)$$

$$C(x) = C_1\left(x \sqrt{\frac{\pi}{2}}\right) = C_2\left(\frac{\pi}{2} x^2\right) \quad (8)$$

The Fresnel integrals are related to the probability integral (or error function) of semi-imaginary argument, $x i^{\frac{1}{2}}$. To see this, set $t = v i^{\frac{1}{2}}$ in the integral

$$\text{Erf}(x) = \frac{2}{\sqrt{\pi}} \int_0^x e^{-t^2} dt \quad (9)$$

Then we infer

$$\text{Erf}(x i^{\frac{1}{2}}) = \frac{2 i^{\frac{1}{2}}}{\sqrt{\pi}} \int_0^x e^{-i v^2} dv \quad (10)$$

$$= \frac{2 i^{\frac{1}{2}}}{\sqrt{\pi}} \left\{ \int_0^x \cos v^2 dv - i \int_0^x \sin v^2 dv \right\}, \quad (11)$$

or

$$(2 i)^{-\frac{1}{2}} \text{Erf}(x i^{\frac{1}{2}}) = C_1(x) = i S_1(x) \quad (12)$$

THE ASYMPTOTIC SERIES FOR THE FRESNEL INTEGRALS AND THEIR CONVERGING FACTORS

To derive asymptotic series for the Fresnel integrals we take as starting point the truncated asymptotic series

$$\int_x^\infty e^{-i v^2} dv = \frac{e^{-i x^2}}{2 i x} \left\{ 1 - \frac{1}{2 i x^2} + \frac{1 \cdot 3}{(2 i x^2)^2} - \dots + (-1)^n \frac{1 \cdot 3 \dots (2n-1)}{(2 i x^2)^n} C_n(x^2) \right\}, \quad (13)$$

where the converging factor $C_n(x^2)$ is given by

$$C_n(x^2) = 1 - \frac{2n+1}{2 i x^2} + \frac{(2n+1)(2n+3)}{(2 i x^2)^2} - \dots \quad (14)$$

$$= 1 - \frac{n + \frac{1}{2}}{i x^2} + \frac{(n + \frac{1}{2})(n + \frac{3}{2})}{(i x^2)^2} - \dots \quad (15)$$

$$= \frac{1}{\Gamma(n + \frac{1}{2})} \left\{ \Gamma(n + \frac{1}{2}) - \frac{\Gamma(n + \frac{3}{2})}{i x^2} + \frac{\Gamma(n + \frac{5}{2})}{(i x^2)^2} - \dots \right\} \quad (16)$$

$$= \frac{1}{\Gamma(n + \frac{1}{2})} \left\{ \int_0^\infty t^{n-\frac{1}{2}} e^{-t} dt - \frac{1}{i x^2} \int_0^\infty t^{n+\frac{1}{2}} e^{-t} dt + \frac{1}{(i x^2)^2} \int_0^\infty t^{n+\frac{3}{2}} e^{-t} dt - \dots \right\} \quad (17)$$

$$= \frac{1}{\Gamma(n + \frac{1}{2})} \left\{ \int_0^\infty n^{n-\frac{1}{2}} \left(1 - \frac{t}{i x^2} + \frac{t^2}{(i x^2)^2} - \dots \right) e^{-t} dt \right\} \quad (18)$$

$$= \frac{1}{\Gamma(n + \frac{1}{2})} \int_0^\infty \frac{t^{n-\frac{1}{2}} e^{-t}}{1 + \frac{t}{i x^2}} dt \quad (19)$$

$$= \frac{1}{\Gamma(n + \frac{1}{2})} \int_0^{\infty} \frac{t^{n-\frac{1}{2}} e^{-t}}{1 + \frac{t^2}{x^4}} dt + \frac{i x^{-2}}{\Gamma(n + \frac{1}{2})} \int_0^{\infty} \frac{t^{n+\frac{1}{2}} e^{-t}}{1 + \frac{t^2}{x^4}} dt \quad (20)$$

Hence, if we define the converging factor $\Pi_s(z)$ by the integral

$$\Pi_s(z) = \frac{1}{\Gamma(s+1)} \int_0^{\infty} \frac{t^s e^{-t}}{1 + (\frac{t}{z})^2} dt, \quad (21)$$

then we have the relation

$$C_n(x^2) = \Pi_{n-\frac{1}{2}}(x^2) + \frac{(2n+1)i}{2x^2} \Pi_{n+\frac{1}{2}}(x^2) \quad (22)$$

From Equation (13) we then obtain

$$\begin{aligned} \int_x^{\infty} \cos v^2 dv - i \int_x^{\infty} \sin v^2 dv &= (\cos x^2 - i \sin x^2) \\ &\cdot \left\{ \frac{1}{2ix} - \frac{1}{(2i)^2 x^3} + \frac{1 \cdot 3}{(2i)^3 x^5} - \dots + (-1)^n \frac{1 \cdot 3 \dots (2n-1)}{(2i)^{n+1} x^{2n+1}} \Pi_{n-\frac{1}{2}}(x^2) \right. \\ &\quad \left. + (-1)^{n+1} \frac{1 \cdot 3 \dots (2n+1)}{(2i)^{n+2} x^{2n+3}} \Pi_{n+\frac{1}{2}}(x^2) \right\} \quad (23) \end{aligned}$$

Multiplying the factors in the right member of Equation (23) and equating the real and imaginary parts of the resulting form of that equation, we obtain the expansions

$$\int_x^{\infty} \cos v^2 dv = P(x) \cos x^2 - Q(x) \sin x^2, \quad (24)$$

$$\int_x^{\infty} \sin v^2 dv = P(x) \sin x^2 + Q(x) \cos x^2, \quad (25)$$

where

$$P(x) = \frac{1}{2^2 x^3} - \frac{1 \cdot 3 \cdot 5}{2^4 x^7} + \dots + (-1)^k \frac{1 \cdot 3 \dots (4k+1)}{2^{2k+2} x^{4k+3}} \prod_{2k+\frac{1}{2}} (x^2) \quad (26)$$

$$Q(x) = \frac{1}{2x} - \frac{1 \cdot 3}{2^3 x^5} + \dots + (-1)^k \frac{1 \cdot 3 \dots (4k-1)}{2^{2k+1} x^{4k+1}} \prod_{2k-\frac{1}{2}} (x^2) \quad (27)$$

From standard tables of definite integrals it is known that the Fresnel integrals have a common limiting value of $\frac{1}{2}$ as the argument (upper limit) of each tends to infinity.

Thus, we conclude that

$$S_1(x) = \frac{1}{2} - (2/\pi)^{\frac{1}{2}} \left\{ P(x) \sin x^2 + Q(x) \cos x^2 \right\}, \quad (28)$$

$$C_1(x) = \frac{1}{2} - (2/\pi)^{\frac{1}{2}} \left\{ P(x) \cos x^2 - Q(x) \sin x^2 \right\}, \quad (29)$$

with similar expansions for the other forms of the Fresnel integrals, by virtue of Equation (7) and Equation (8).

By means of the series in Equation (28) and Equation (29) the Fresnel integrals can be numerically evaluated to high precision for large or even moderately large values of x , provided the appropriate converging factors can be calculated. The expeditious calculation of these converging factors is the main purpose of this report.

It may be noted here that although the Maclaurin expansions

$$S_1(x) = (2/\pi)^{\frac{1}{2}} \left\{ \frac{x^3}{3} - \frac{x^7}{7 \cdot 3!} + \frac{x^{11}}{11 \cdot 5!} - \dots + (-1)^n \frac{x^{4n-1}}{(4n-1)(2n-1)!} + \dots \right\} \quad (30)$$

$$C_1(x) = (2/\pi)^{\frac{1}{2}} \left\{ x - \frac{x^5}{5 \cdot 2!} + \frac{x^9}{9 \cdot 4!} - \dots + (-1)^n \frac{x^{4n-3}}{(4n-3)(2n-2)!} + \dots \right\} \quad (31)$$

converge for all values of x , they are unsatisfactory for calculating the Fresnel integrals when x exceeds 5, say, because of relatively slow convergence and the loss of figures resulting from partial cancellation of nearly equal terms of the alternating series. For example, when $x = 5$ a total of 60 terms of the alternating series in Equations (30) and (31) are required to yield accuracy to 30 decimal places, and nine significant figures before the decimal point are lost through cancellation. On the other hand, a total of 25 terms of the series in Equations (26) and (27) in conjunction with Equations (28) and (29) are required to give $S_1(5)$ and $C_1(5)$ to 40 decimals when 30-place approximations to the converging factors $\Pi_{\frac{49}{2}}(25)$ and $\Pi_{\frac{51}{2}}(25)$ are used, and furthermore no figures are lost through cancellation.

CALCULATION OF THE CONVERGING FACTORS AND THEIR DERIVATIVES

If we write Equation (22) in the form

$$C_n(x^2) = \Pi_{n-\frac{1}{2}}(x^2) + i \Omega_{n-\frac{1}{2}}(x^2) \quad (32)$$

then we have the relation

$$\Omega_s(z) = \frac{z}{\Gamma(s+1)} \int_0^\infty \frac{t^{s+1} e^{-t}}{t^2 + z^2} dt \quad (s > -2) \quad (33)$$

$$= \frac{s+1}{z} \Pi_{s+1}(z) \quad , \quad (34)$$

where $\Pi_s(z)$ is given by Equation (21).

To derive a similar relation between $\Pi_s(z)$ and $\Omega_{s+1}(z)$, we proceed as follows:

$$\begin{aligned} \Pi_s(z) &= \frac{z^2}{\Gamma(s+1)} \int_0^\infty \frac{t^s e^{-t}}{t^2 + z^2} dt \quad (s > -1) \\ &= 1 - \frac{1}{\Gamma(s+1)} \int_0^\infty t^s e^{-t} dt + \frac{z^2}{\Gamma(s+1)} \int_0^\infty \frac{t^s e^{-t}}{t^2 + z^2} dt \end{aligned} \quad (35)$$

$$= 1 - \frac{1}{\Gamma(s+1)} \int_0^\infty \frac{t^{s+2} e^{-t}}{t^2 + z^2} dt \quad (36)$$

$$= 1 - \frac{s+1}{z} \Omega_{s+1}(z) \quad , \quad (37)$$

which is the desired relation.

We next derive relations between the converging factors $\Pi_s(z)$ and $\Omega_s(z)$ and their derivatives.

Differentiating both sides of Equation (21) with respect to z ,
we obtain

$$\frac{d}{dz} \Pi_s(z) = \frac{2z}{\Gamma(s+1)} \int_0^\infty \frac{t^{s+2} e^{-t}}{(t^2 + z^2)^2} dt \quad (38)$$

Integration by parts then yields

$$\begin{aligned} 2 \int_0^\infty \frac{t^{s+2} e^{-t}}{(t^2 + z^2)^2} dt &= - \frac{t^{s+1} e^{-t}}{t^2 + z^2} \Big|_0^\infty + \int_0^\infty \frac{(s+1)t^s e^{-t}}{t^2 + z^2} dt \\ &= \int_0^\infty \frac{(s+1-t) t^s e^{-t}}{t^2 + z^2} dt \end{aligned}$$

Hence,

$$\begin{aligned} \frac{d}{dz} \Pi_s(z) &= \frac{z}{\Gamma(s+1)} \int_0^\infty \frac{(s+1-t) t^s e^{-t}}{t^2 + z^2} dt \\ &= \frac{(s+1)z}{\Gamma(s+1)} \int_0^\infty \frac{t^s e^{-t}}{t^2 + z^2} dt - \frac{z}{\Gamma(s+1)} \int_0^\infty \frac{t^{s+1} e^{-t}}{t^2 + z^2} dt \end{aligned} \quad (39)$$

By Equations (21) and (33), this implies

$$\frac{d}{dz} \Pi_s(z) = \frac{s+1}{z} \Pi_s(z) - \Omega_s(z), \quad (40)$$

which is the first of the desired relations

Similarly, if we differentiate both sides of Equation (33) with respect to z , we find

$$\frac{d}{dz} \Omega_s(z) = \frac{2z}{\Gamma(s+1)} \int_0^\infty \frac{(t^2 - z^2) t^{s+1} e^{-t}}{(t^2 + z^2)^2} dt \quad (41)$$

Integration by parts then yields

$$\begin{aligned}
 \int_0^{\infty} \frac{(t^2 - z^2) t^{s+1} e^{-t}}{(t^2 + z^2)^2} dt &= \frac{1}{2} \int_0^{\infty} \frac{[(s+2)t^2 - t^3 + z^2 t - sz^2] t^{s-1} e^{-t}}{t^2 + z^2} dt \\
 &= \frac{1}{2} \int_0^{\infty} \frac{(s+1-t) t^{s+1} e^{-t}}{t^2 + z^2} dt \\
 &\quad + \frac{1}{2} \int_0^{\infty} \frac{(t^2 + z^2 t - sz^2) t^{s-1} e^{-t}}{t^2 + z^2} dt \\
 &= \int_0^{\infty} \frac{(s+1-t) t^{s+1} e^{-t}}{t^2 + z^2} dt,
 \end{aligned}$$

since

$$\begin{aligned}
 \int_0^{\infty} \frac{(t^2 + z^2 t - sz^2) t^{s-1} e^{-t}}{t^2 + z^2} dt &= \int_0^{\infty} \frac{(s+1-t) t^{s+1} e^{-t}}{t^2 + z^2} dt \\
 &\quad - \int_0^{\infty} (s-t) t^{s-1} e^{-t} dt.
 \end{aligned}$$

and

$$\begin{aligned}
 \int_0^{\infty} (s-t) t^{s-1} e^{-t} dt &= s \int_0^{\infty} t^{s-1} e^{-t} dt - \int_0^{\infty} t^s e^{-t} dt \\
 &= s \Gamma(s) - \Gamma(s+1) = 0.
 \end{aligned}$$

Therefore, we have

$$\begin{aligned}
 \frac{d}{dz} \Omega_s(z) &= \frac{1}{\Gamma(s+1)} \int_0^{\infty} \frac{(s+1-t) t^{s+1} e^{-t}}{t^2 + z^2} dt \quad (42) \\
 &= \frac{1}{\Gamma(s+1)} \int_0^{\infty} \frac{[(s+1)t + z^2] t^s e^{-t}}{t^2 + z^2} dt - \frac{1}{\Gamma(s+1)} \int_0^{\infty} t^s e^{-t} dt \\
 &= \frac{(s+1)}{\Gamma(s+1)} \int_0^{\infty} \frac{t^{s+1} e^{-t}}{t^2 + z^2} dt + \frac{z^2}{\Gamma(s+1)} \int_0^{\infty} \frac{t^s e^{-t}}{t^2 + z^2} dt - 1,
 \end{aligned}$$

whence

$$\frac{d}{dz} \Omega_s(z) = \frac{s+1}{z} \Omega_s(z) + \Pi_s(z) - 1, \quad (43)$$

which is the second desired relation between the converging factors and their derivatives.

To obtain similar relations for the second derivatives, we differentiate both sides of Equations (40) and (43) after multiplying by z , and find

$$z \frac{d^2}{dz^2} \Pi_s(z) = s \frac{d}{dz} \Pi_s(z) - z \frac{d}{dz} \Omega_s(z) - \Omega_s(z), \quad (44)$$

$$z \frac{d^2}{dz^2} \Omega_s(z) = s \frac{d}{dz} \Omega_s(z) + z \frac{d}{dz} \Pi_s(z) + \Pi_s(z) - 1. \quad (45)$$

If we let d_j and δ_j represent, respectively, the values of $\frac{d^j}{dz^j} \Pi_s(z)$ and $\frac{d^j}{dz^j} \Omega_s(z)$ when $z = s$, then Equations (40), (43), (44), and (45) reduce to

$$d_1 = (1 + \frac{1}{s}) d_0 - \delta_0 \quad (46)$$

$$\delta_1 = (1 + \frac{1}{s}) \delta_0 + d_0 - 1 \quad (47)$$

$$d_2 = d_1 - \delta_1 - \delta_0/s \quad (48)$$

$$\delta_2 = \delta_1 + d_1 + \frac{d_0 - 1}{s} \quad (49)$$

If we proceed in the same manner to find higher derivatives of the converging factors, we find that

$$d_k = (1 - \frac{k-2}{s}) d_{k-1} - \delta_{k-1} - \frac{k-1}{s} \delta_{k-2}, \quad (50)$$

$$\delta_k = (1 - \frac{k-2}{s}) \delta_{k-1} + d_{k-1} + \frac{k-1}{s} d_{k-2} , \quad (51)$$

when $k \geq 3$.

Thus we can systematically evaluate all the d_k and δ_k once we know the values of $d_0 = \pi_s(s)$ and $\delta_0 = \omega_s(s)$. Then we can write at once the Taylor series

$$\pi_s(s+h) = d_0 + d_1 h + \frac{d_2}{2!} h^2 + \frac{d_3}{3!} h^3 + \dots \quad (52)$$

and

$$\omega_s(s+h) = \delta_0 + \delta_1 h + \frac{\delta_2}{2!} h^2 + \frac{\delta_3}{3!} h^3 + \dots , \quad (53)$$

which permit the evaluation of the converging factors in the neighborhood of a given argument s .

The calculation of the extensive tables in this report was performed in the following manner. For large values of s the following asymptotic series were available:

$$\begin{aligned} 2 \pi_s(s) = & 1 - \frac{1}{2s} + \frac{1}{(2s)^2} + \frac{3}{(2s)^3} - \frac{55}{(2s)^4} + \frac{599}{(2s)^5} \\ & - \frac{5823}{(2s)^6} + \frac{49595}{(2s)^7} - \frac{266743}{(2s)^8} - \frac{2679473}{(2s)^9} + \dots , \end{aligned} \quad (54)$$

$$\begin{aligned} 2 \omega_s(s) = & 1 - \frac{1}{2s} + \frac{3}{(2s)^2} - \frac{13}{(2s)^3} + \frac{59}{(2s)^4} - \frac{185}{(2s)^5} \\ & - \frac{1309}{(2s)^6} + \frac{45387}{(2s)^7} - \frac{832613}{(2s)^8} + \frac{12609823}{(2s)^9} - \dots . \end{aligned} \quad (55)$$

Indeed, the first 60 coefficients of each of these series have been tabulated in an earlier report⁷ by the present authors.

For the evaluation of the Fresnel integrals by means of Equations (24) - (29) it is clearly necessary to specialize s to numbers of the form $n + \frac{1}{2}$, where n is an integer.

To attain final accuracy to about 35 decimal places from 60 terms of the series in Equations (54) and (55), it was found necessary to take $s \geq 70.5$. From the values of $\Pi_s(s)$, $\Omega_s(s)$, and their derivatives thus calculated on a CDC 6700 system for $s = 70.5$, it was possible to calculate $\Pi_s(s-1)$ and $\Omega_s(s-1)$ by the appropriate Taylor series, and then deduce $\Pi_{s-1}(s-1)$ and $\Omega_{s-1}(s-1)$ by means of the difference equations (34) and (37).

By such a recurrent procedure the appended table of $\Pi_{s+\frac{1}{2}}(s+\frac{1}{2})$ and its reduced derivatives, $D_j = d_j/j!$ was calculated to 35 decimal places for $s = 1(1)70$, that is, for all integral values of s from 1 to 70, inclusive. The final two decimals in this table should be considered as guard figures.

In order to check the stability of this backward recurrence, the final value, namely $\Pi_{\frac{3}{2}}(\frac{3}{2})$, was calculated independently from the following power series given by Dingle⁸:

$$\begin{aligned} \Pi_s(z) = \frac{z^2}{s(s-1)} \left\{ 1 - \frac{z^2}{(s-2)(s-3)} + \frac{z^4}{(s-2)(s-3)(s-4)(s-5)} - \dots \right\} \\ + \frac{\pi z^{s+1}}{\Gamma(s+1)} \frac{\sin(z + \frac{\pi s}{2})}{\sin \pi s} \end{aligned} \quad (56)$$

Setting $z = s = \frac{3}{2}$ and evaluating 21 terms of the series to more than 40 decimal places, we obtain

$$\Pi_{\frac{3}{2}}(\frac{3}{2}) = 0.38103 \ 27723 \ 47441 \ 35241 \ 84636 \ 04433 \ 15865 \ 71377 ,$$

which is less than the tabulated values by about $4.3 \cdot 10^{-34}$. This serves to confirm that the tabular entries should be considered consistently accurate to 33 decimals.

Only a portion of the companion table of $\Omega_{s-\frac{1}{2}}(s-\frac{1}{2})$ is reproduced herein; namely, a tabulation of that converging factor to 33 decimal places for $s = 1(1)70$. This limitation does not detract from the practical utility of this report, inasmuch as the converging factor $\Pi_{s-\frac{1}{2}}(s-\frac{1}{2})$ and its reduced derivatives are all that are required to calculate the Fresnel integrals from Equations (26) - (29).

Because of the relation of $\Pi_s(z)$ and $\Omega_s(z)$ to certain definite integrals, as shown in Equations (21) and (33), it is considered useful also to reproduce tables of $\Pi_{s-\frac{1}{2}}(s)$, $\Omega_{s-\frac{1}{2}}(s)$, $\Pi_{s+\frac{1}{2}}(s)$, $\Omega_{s+\frac{1}{2}}(s)$, $\Pi_{s+\frac{1}{2}}(s-\frac{1}{2})$, and $\Omega_{s+\frac{1}{2}}(s-\frac{1}{2})$, all to 33 decimal places, and for $s = 1(1)70$, except for the first two, wherein s ranges up to 71.

As a further partial check on the electronic computer calculations, the value of the converging factor $\Pi_{\frac{3}{2}}(1)$ was found to about 40 places from Equation (56) by means of a desk calculator. The result was

$$\Pi_{\frac{3}{2}}(1) = 0.25396\ 60243\ 36788\ 20750\ 56056\ 53722\ 93693\ 02532,$$

which agrees with the earlier approximation to within $2 \cdot 10^{-34}$.

For completeness, the following value of $\Pi_{\frac{1}{2}}(\frac{1}{2})$, also calculated in two ways, is recorded:

$$\Pi_{\frac{1}{2}}(\frac{1}{2}) = 0.26823\ 29533\ 84628\ 45377\ 84421\ 62033\ 05691\ \dots$$

The corresponding reduced derivatives were not calculated because of their excessive number with respect to convenient tabulation.

APPLICATIONS

The method of converging factors set forth in this report has been programmed and used on the CDC 6700 system in the Computation and Mathematics Department to calculate in double-precision arithmetic a table of the Fresnel integrals $S_2(x)$ and $C_2(x)$ to 28 decimal places for $x = 2(1)70$ (Tables 9 and 10) and a table of $S(x)$ and $C(x)$ for $x = 1(1)6$ (Table 11).

As a partial check, a desk calculator was used to evaluate

$$\int_1^{\infty} \sin v^2 dv = P(1) \sin 1 + Q(1) \cos x ,$$

$$\int_1^{\infty} \cos v^2 dv = P(1) \cos 1 - Q(1) \sin x ,$$

where

$$P(1) = \frac{1}{4} \Pi_{\frac{1}{2}}(1) ,$$

$$Q(1) = \frac{1}{2} - \frac{3}{8} \Pi_{\frac{3}{2}}(1) .$$

Then

$$S_2(1) = S_1(1) = \frac{1}{2} - \sqrt{\frac{2}{\pi}} \int_1^{\infty} \sin v^2 dv ,$$

$$C_2(1) = C_1(1) = \frac{1}{2} - \sqrt{\frac{2}{\pi}} \int_1^{\infty} \cos v^2 dv .$$

The numerical values thus calculated are:

$$S_2(1) = 0.24755 \ 82876 \ 51610 \ 84260 \ 99050 \ 14405 \ 217 ,$$

$$C_2(1) = 0.72170 \ 59242 \ 92605 \ 08777 \ 15858 \ 15611 \ 907 .$$

As a further check, the same procedure was used to evaluate

$$\int_{\sqrt{2}}^{\infty} \sin v^2 dv = P(\sqrt{2}) \sin 2 + Q(\sqrt{2}) \cos 2 ,$$

$$\int_{\sqrt{2}}^{\infty} \cos v^2 dv = P(\sqrt{2}) \cos 2 - Q(\sqrt{2}) \sin 2 ,$$

where

$$P(\sqrt{2}) = \frac{\sqrt{2}}{16} \left[1 - \frac{15}{16} \pi_{\frac{5}{2}}(2) \right] ,$$

$$Q(\sqrt{2}) = \frac{\sqrt{2}}{4} \left[1 - \frac{3}{16} \pi_{\frac{3}{2}}(2) \right] .$$

Then, since

$$S_2(2) = S_1(\sqrt{2}) = \frac{1}{2} - \sqrt{\frac{2}{\pi}} \int_{\sqrt{2}}^{\infty} \sin v^2 dv$$

and

$$C_2(2) = C_1(\sqrt{2}) = \frac{1}{2} - \sqrt{\frac{2}{\pi}} \int_{\sqrt{2}}^{\infty} \cos v^2 dv ,$$

we deduce the values

$$S_2(2) = 0.56284 \ 89062 \ 30056 \ 47929 \ 80811 \ 09137 \ 254 ,$$

$$C_2(2) = 0.75330 \ 23754 \ 67891 \ 16558 \ 21899 \ 71106 \ 416 .$$

The Fresnel integrals $S_2(x)$ and $C_2(x)$ are closely related to the rocket functions introduced by Rosser et al⁹ in a study of the exterior ballistics of fin-stabilized rocket projectiles. These functions are defined as the real and imaginary parts of the complex integrals

$$\begin{aligned} rc(w) &= i e^{i w} \int_w^{\infty} \frac{e^{-ix}}{\sqrt{x}} dx \\ &= rr(w) + i ri(w) \end{aligned}$$

Thus, the rocket functions $rr(w)$ and $ri(w)$ are given by the equations

$$rr(w) = \cos w \int_w^{\infty} \frac{\sin x}{\sqrt{x}} dx - \sin w \int_w^{\infty} \frac{\cos x}{\sqrt{x}} dx \quad (57)$$

$$ri(w) = \cos w \int_w^{\infty} \frac{\cos x}{\sqrt{x}} dx + \sin w \int_w^{\infty} \frac{\sin x}{\sqrt{x}} dx \quad (58)$$

If we set $x = y^2$ in these integrals and use Equations (24) and (25), we deduce the relations

$$rr(w) = 2 Q(\sqrt{w}) \quad (59)$$

$$ri(w) = 2 P(\sqrt{w})$$

Consequently, the rocket functions are computable as a by-product of the evaluation of the Fresnel integrals by means of the series in Equations (26) and (27).

For convenient reference, tables of the rocket functions thus calculated to 28 decimals for integer arguments from 1 to 70, inclusive, are included in this report as Tables 12 and 13.

As a final illustration of the use of the present tables of converging factors and their reduced derivatives, we evaluate $S_2(x)$ when $x = 5.24$ in order to check and extend the calculation of that value as given in the NBS Handbook.⁶ We can write

$$\begin{aligned} S_2(5.24) &= S_1(\sqrt{5.24}) \\ &= \frac{1}{2} - \left(\frac{2}{\pi}\right)^{\frac{1}{2}} \left\{ P(\sqrt{5.24}) \sin(5.24) + Q(\sqrt{5.24}) \cos(5.24) \right\}, \end{aligned}$$

where

$$P(\sqrt{5.24}) = \frac{1}{2\sqrt{5.24}} \left\{ \frac{1}{10.48} - \frac{3 \cdot 5}{10.48^3} + \frac{3 \cdot 5 \cdot 7 \cdot 9}{10.48^5} \Pi_{\frac{9}{2}}(5.24) \right\},$$

$$Q(\sqrt{5.24}) = \frac{1}{2\sqrt{5.24}} \left\{ 1 - \frac{3}{10.48^2} + \frac{3 \cdot 5 \cdot 7}{10.48^4} - \frac{3 \cdot 5 \cdot 7 \cdot 9 \cdot 11}{10.48^6} \Pi_{\frac{11}{2}}(5.24) \right\}.$$

The converging factors $\Pi_{\frac{9}{2}}(5.24)$ and $\Pi_{\frac{11}{2}}(5.24)$ are then calculated by the Taylor series in Equation (52) from the tabulated values of $\Pi_{\frac{9}{2}}(4.5)$ and $\Pi_{\frac{11}{2}}(5.5)$ and the corresponding reduced derivatives, taking $h = 0.74$ and $h = -0.26$, respectively. Thus we calculate

$$\Pi_{\frac{9}{2}}(5.24) = 0.51578 \ 34390 \ 28829 \ 00112 \ 57204 \ 80642 \ 32326 \ ,$$

$$\Pi_{\frac{11}{2}}(5.24) = 0.43799 \ 18752 \ 09521 \ 60878 \ 79477 \ 87444 \ 92751 \ ,$$

whence

$$S_2(5.24) = 0.42717 \ 67188 \ 77837 \ 56118 \ 94216 \ 34146 \ 91721 \ .$$

APPENDIX A

VALUES OF $\Pi_{s+\frac{1}{2}}(s+\frac{1}{2})$ AND OF ITS REDUCED DERIVATIVES

In this appendix are tabulated to 35 decimal places the values of the converging factor $\Pi_{s+\frac{1}{2}}(s+\frac{1}{2})$ and its reduced derivatives D_i , which represents $\frac{1}{i!} \frac{d^i}{dx^i} \Pi_{s+\frac{1}{2}}(x)$ evaluated at $x = s+\frac{1}{2}$. This table (Table 1) has been photographically reproduced from computer output that was left-justified. Accordingly, the position of the decimal point for each tabular entry is determined by the right-hand indentation.

Table 1 – Table of $\Pi_{s+1/2}(s+1/2)$ and its Reduced Derivatives D_i to 35D for $s = 1$ (1) 70

$$S = 1.5$$

D SUB I

D SUB I													
0	38103	27723	47441	35241	24636	04433	15909	78	24159	78224	74743	1	
1	22967	93497	19473	83636	71015	20252	85200	79	-	15380	78117	27371	0
2	-	48614	52731	68446	89744	40849	93040	7999	80	97976	87110	95350	
3	30588	76947	35042	34698	01746	03308	820	81	-	62448	48254	76393	
4	33162	11359	54622	64195	29451	47664	525	82	39826	02684	42217		
5	-	24411	28662	68706	60575	71471	62814	799	83	-	25412	80561	65420
6	12505	87515	65353	66865	88785	45789	940	84	-	16224	56528	55703	
7	-	57817	11878	75934	99785	70012	30683	69	85	-	10363	88134	78975
8	25989	12243	27041	98840	30786	81159	97	86	66236	17847	4218		
9	-	11710	99057	39674	37524	38355	56534	08	87	-	42353	20373	2015
10	53618	19256	04236	01695	84530	36451	5	88	27095	07201	0647		
11	-	25078	27723	74956	24299	69623	38396	1	89	-	17342	13052	9730
12	11999	27369	89580	62254	60146	59186	7	90	11104	98348	2298		
13	-	58699	60473	35627	42718	27343	28233	91	-	71142	98715	638	
14	29316	17283	31390	40832	27234	21911		92	45597	44754	733		
15	-	14921	20206	38829	69044	26517	33280	93	-	29237	41122	419	
16	77258	12753	32304	08586	04693	9759		94	18755	25962	443		
17	-	40624	85399	39994	34677	10203	7147	95	-	12036	18885	118	
18	21660	92447	38871	60069	24612	5860		96	77273	88600	56		
19	-	11695	05540	50716	30622	31189	3800	97	-	49630	72063	41	
20	63861	61437	72768	21229	69528	391		98	31888	84716	58		
21	-	35231	04178	06305	46523	95768	092	99	-	20497	17087	49	
22	19617	83183	91254	44812	69736	522		100	13179	91025	51		
23	-	11016	85317	88912	81604	70728	667	101	-	84779	54530	0	
24	62348	90906	24822	68522	27607	40		102	54553	95768	0		
25	-	35537	38113	66283	95679	33150	89	103	-	35116	87110	0	
26	20388	23086	84506	85181	24207	84		104	22612	87281	9		
27	-	11767	68353	09452	90397	24358	64	105	-	14566	10410	3	
28	68300	40120	13783	03106	57736	9		106	93859	00716			
29	-	39847	44826	39627	83741	60496	6	107	-	60499	33435		
30	23359	57119	67208	64134	37112	8		108	39008	98289			
31	-	13755	42735	93821	62766	55401	2	109	-	25160	27710		
32	81339	16160	57680	98751	58973			110	16233	06104			
33	-	48286	44771	12372	54598	42174		111	-	10476	52248		
34	28770	34043	01129	53475	44205			112	67633	7063			
35	-	17201	35068	30135	86286	80225		113	-	43675	3292		
36	10317	86586	64538	29316	32855			114	28211	9992			
37	-	62079	23911	93196	62915	8558		115	-	18228	6283		
38	37459	16585	37594	96369	6270			116	11781	3322			
39	-	22665	06608	84172	76527	7564		117	-	76164	569		
40	13749	29189	58323	86526	5209			118	49252	434			
41	-	83612	30617	72958	99401	969		119	-	31857	855		
42	50965	11309	20196	77389	371			120	20611	876			
43	-	31134	29235	21615	31514	977		121	-	13339	170		
44	19059	96322	31305	33005	284			122	86347	25			
45	-	11691	74188	00879	50413	472		123	-	55908	11		
46	71857	22714	46667	09738	58			124	36208	12			
47	-	44244	40982	10071	63940	76		125	-	23455	26		
48	27290	29015	29828	00135	32			126	15197	63			
49	-	16861	14273	05054	83782	13		127	-	98494	4		
50	10434	32399	36885	52777	24			128	63847	7			
51	-	64671	26162	55424	52648	7		129	-	41397	6		
52	40142	18491	42049	95881	5			130	26847	3			
53	-	24952	14665	83582	81448	8		131	-	17414	8		
54	15531	30995	71261	73049	2			132	11298	7			
55	-	96800	79478	30211	35899			133	-	73322			
56	60408	64329	51423	54447				134	47591				
57	-	37744	04079	81663	28997			135	-	30896			
58	23610	64061	62744	24166				136	20061				
59	-	14786	28729	79003	08108			137	-	13029			
60	92701	20226	56124	9389				138	8463				
61	-	58179	52767	98632	6215			139	-	5498			
62	36550	90823	88658	8206				140	3573				
63	-	22985	53599	70982	2571			141	-	2322			
64	14468	57022	04775	3608				142	1509				
65	-	91158	63658	34999	834			143	-	981			
66	57485	53656	70830	532				144	638				
67	-	36282	38594	15805	006			145	-	415			
68	22919	12569	17590	127				146	270				
69	-	14489	52697	13257	504			147	-	175			
70	91675	60962	77087	63				148	114				
71	-	58047	93677	19126	89			149	-	74			
72	36782	69367	52179	45				150	48				
73	-	23324	63315	32916	02			151	-	31			
74	14801	02654	45143	60				152	20				
75	-	93986	63853	85485	9			153	-	13			
76	59721	34042	15897	0				154	8				
77	-	37972	95011	56502	8								

S = 2.5

I	D SUB I
0	41936 11674 52711 23170 45662 85386 16533
1	15398 90023 57888 40062 78223 35595 30714
2	- 22491 05135 57280 06921 08539 24462 2097
3	82887 58073 31137 57420 52994 12907 78
4	72338 71976 01032 39715 72693 05199 11
5	- 32081 60341 56448 04056 20782 09620 52
6	96088 26434 62492 00528 75337 15773 0
7	- 24853 60552 56852 46925 14666 74001 4
8	59842 88039 33192 82923 31204 07040
9	- 13880 47844 65775 38247 35238 23804
10	31574 24266 21235 13026 59186 1169
11	- 71080 02735 44344 53516 86485 205
12	15885 91399 35215 54536 30980 610
13	- 35178 70852 39920 65892 37128 92
14	76594 93420 17573 59149 51058 9
15	- 16125 79740 16098 12133 17785 7
16	31668 97636 81926 32173 16416
17	- 52750 42009 63613 03284 9032
18	46783 06970 21325 83697 052
19	16731 28172 95156 43323 161
20	- 13906 06201 87123 27847 381
21	68506 89105 49864 55886 30
22	- 28938 07828 47601 19087 79
23	11391 06976 14490 70266 14
24	- 43154 80245 57097 58531 0
25	15983 69620 66375 70261 7
26	- 58381 64184 63789 88687
27	21139 19096 61082 42783
28	- 76128 94133 45245 7973
29	27328 12961 44949 6765
30	- 97929 70584 57778 196
31	35068 07230 32692 161
32	- 12557 92934 48769 895
33	44994 27761 76360 90
34	- 16135 76544 58625 56
35	57933 34630 32929 2
36	- 20828 33293 57721 0
37	74993 33019 74058
38	- 27043 94415 56390
39	97683 22935 5135
40	- 35341 55154 8150
41	12807 72922 5051
42	- 46492 08074 885
43	16904 46665 219
44	- 61564 62154 20
45	22457 30803 52
46	- 82048 10799 5
47	30022 73366 7
48	- 11002 41989 6
49	40380 10899
50	- 14841 32568
51	54624 6098
52	- 20132 5576
53	74300 053
54	- 27456 405
55	10158 923
56	- 37634 52
57	13958 72
58	- 51833 6
59	19269 5
60	- 71714
61	26718
62	- 9964
63	3720
64	- 1390
65	520
66	- 194
67	72
68	- 27
69	10
70	- 3
71	1

$$S = 3.5$$

I	D SUB I							
0		43894	31929	07890	69179	18511	13098	73086
1		11652	21877	61406	80671	53825	76766	59592
2	-	13079	56012	68424	97337	30367	41430	7225
3		32487	00151	03295	23671	36057	93655	20
4		25257	09606	72633	36878	44374	87799	41
5	-	79817	17047	71895	82256	03337	13306	0
6		16667	33890	89098	75364	98003	33273	6
7	-	28864	42781	67650	38169	03495	53383	
8		43969	00456	34239	58863	77005	8308	
9	-	59215	10631	19603	47661	73357	715	
10		66768	25892	33004	68493	10636	66	
11	-	47240	42427	54915	27017	78990	2	
12	-	44628	11543	60063	52201	43405		
13		31145	82927	57432	86754	09799		
14	-	98249	42647	29492	96629	0636		
15		25663	34402	73941	54913	4207		
16	-	61890	87040	91270	45885	737		
17		14346	81729	17119	07127	017		
18	-	32589	23173	66465	13747	28		
19		73309	53941	05434	10322	1		
20	-	16432	75051	16189	33136	6		
21		36844	82766	48930	42118			
22	-	82830	75484	93600	3583			
23		18698	19816	84906	6876			
24	-	42422	32921	53885	065			
25		96784	11350	78431	69			
26	-	22209	87913	40814	00			
27		51270	12909	15221	2			
28	-	11905	63352	87789	1			
29		27808	09313	04185				
30	-	65322	02862	8633				
31		15429	20168	9572				
32	-	36638	70842	582				
33		87450	67894	43				
34	-	20976	08839	01				
35		50551	77947	6				
36	-	12238	07119	4				
37		29755	72207					
38	-	72648	7889					
39		17807	7595					
40	-	43816	662					
41		10820	516					
42	-	26814	41					
43		66670	9					
44	-	16630	0					
45		41608						
46	-	10441						
47		2627						
48	-	662						
49		167						
50	-	42						
51		10						
52	-	2						

$$S = 4.5$$

I	O SUB I						
0	45086	58915	06093	77010	31417	69925	68262
1	93955	92374	27802	84361	60596	25584	5354
2	- 85844	86396	87968	02438	62814	05419	200
3	15511	94228	21310	06622	68956	14394	19
4	11206	21010	41835	22913	54218	45923	45
5	- 27428	19836	76937	86333	90775	98890	0
6	43580	53953	35722	39852	37622	10695	
7	- 55263	81066	85023	59533	47601	0952	
8	57353	35587	37589	16594	39197	036	
9	- 43779	48838	47853	01943	72571	72	
10	68994	84533	86429	29421	26604		
11	63607	20262	86860	60091	73429		
12	- 18246	40461	30650	69238	71007		
13	37141	61270	11729	09950	1326		
14	- 66321	54813	70064	68446	254		
15	11077	52948	02002	96560	090		
16	- 17815	96649	55151	27417	40		
17	28029	62137	45019	71580	3		
18	- 43553	69750	98828	12075			
19	67252	34667	33480	8617			
20	- 10361	86092	78246	0940			
21	15973	54399	97534	021			
22	- 24681	97229	09904	21			
23	38270	85378	35954	7			
24	- 59586	85475	63877				
25	93186	50522	6315				
26	- 14637	93684	7620				
27	23090	69599	675				
28	- 36563	50339	18				
29	58084	56210	6				
30	- 92501	90062					
31	14754	10968					
32	- 23542	3358					
33	37526	946					
34	- 59650	83					
35	94333	0					
36	- 14795	7					
37	22916						
38	- 3482						
39	514						
40	- 72						
41	9						
42	- 1						

$$S = 5.5$$

I	C SUB I						
0	45889	48235	63063	59858	51194	78075	16545
1	78811	18671	53206	69345	53973	92499	8066
2	- 60775	40683	24952	77688	98304	32337	938
3	83945	97753	13684	77803	68114	35016	5
4	57611	12344	50173	13656	18947	04432	7
5	- 11483	70438	92333	01757	97445	59431	7
6	14636	82382	95230	88581	21140	17122	
7	- 14350	08502	79691	53191	39243	9146	
8	10513	98360	64104	52834	17243	834	
9	- 35555	16958	37194	51269	23514	6	
10	- 58147	69323	87888	55754	82213		
11	16807	33400	70046	88054	73887		
12	- 28682	84715	21538	52269	7230		
13	40809	49518	92264	27215	489		
14	- 52664	42669	41571	83800	50		
15	63796	33554	71490	72749	3		
16	- 73761	24753	05895	59217			
17	82036	51563	65925	2208			
18	- 87910	57924	39464	170			
19	90338	46663	48593	73			
20	- 87744	62772	35212	0			
21	77744	12894	66954				
22	- 56738	57178	9818				
23	19321	55675	821				
24	42603	88017	65				
25	- 14114	26194	79				
26	29438	13542	7				
27	- 52935	54177					
28	88652	0533					
29	- 14265	1110					
30	22403	816					
31	- 34651	67					
32	53075	9					
33	- 80802						
34	12257						
35	- 1855						
36	280						
37	- 42						
38	6						

$$S = 6.5$$

I	C SUB I							
0		46467	10459	60702	60960	77533	27010	60107
1		67918	77247	32650	66518	59864	51761	1473
2	-	45331	42670	90097	79036	50707	20062	161
3		49573	94896	04724	11004	97246	91546	0
4		32748	82104	36866	55415	75156	20947	8
5	-	54984	00245	77671	94570	25729	55173	
6		58253	54303	48565	57790	85767	4721	
7	-	45813	35648	11586	08852	77999	636	
8		24007	73117	37046	94984	71649	28	
9		66581	79499	81970	37489	4722		
10	-	23190	99816	53656	36930	32464		
11		40536	30743	21604	24556	9814		
12	-	51456	27624	10084	54838	176		
13		55991	63966	34534	32638	61		
14	-	54936	21593	17437	37186	1		
15		49403	89434	12930	37800			
16	-	40534	55914	42897	6133			
17		29326	32219	13755	560			
18	-	16561	63534	47724	38			
19		27932	95008	35381				
20		11637	15470	62676				
21	-	26567	68649	1140				
22		41982	36339	622				
23	-	57982	40414	57				
24		74764	39671	6				
25	-	92606	30744					
26		11186	09680					
27	-	13295	6408					
28		15640	246					
29	-	18280	33					
30		21287	5					
31	-	24747						
32		2876						
33	-	334						
34		38						
35	-	4						

$$S = 7.5$$

I	D SUE I							
0		46902	61333	89080	60727	89616	84008	33441
1		59696	99041	70206	23871	74138	03188	8353
2	-	35130	13298	56812	13650	97464	16430	368
3		31233	05734	36702	78694	45826	56018	7
4		20031	22373	37575	32590	01539	42945	8
5	-	29021	58556	42354	06937	46220	59776	
6		26222	80317	54525	66562	96259	5002	
7	-	16992	24012	05768	26633	49380	856	
8		63360	93704	44442	08220	95565	6	
9		25264	73432	59913	28915	84692		
10	-	82478	60640	83003	45898	9508		
11		10815	13372	07546	40121	7053		
12	-	10910	79984	37128	26765	460		
13		94200	53818	64832	70252	9		
14	-	71423	75358	35513	68887			
15		46714	68367	43569	0097			
16	-	23814	06628	66197	732			
17		46454	42232	39364	7			
18		10150	81446	82724	3			
19	-	20722	14899	44040				
20		27623	16047	6652				
21	-	31558	97016	084				
22		33232	04786	42				
23	-	33263	71500	7				
24		32163	90973					
25	-	30328	9329					
26		28053	295					
27	-	25547	02					
28		22953	6					
29	-	20366						
30		1784						
31	-	154						
32		13						
33	-	1						

$$S = 8.5$$

I	D SUB I							
0		47242	69817	76795	71806	52806	70488	03952
1		53265	34520	87660	09084	18659	36688	6269
2	-	28033	74494	07026	32582	70868	14132	506
3		20688	03706	33617	56173	93051	33203	9
4		12957	61827	50562	88766	91317	84389	3
5	-	16498	02087	65635	05575	44500	00560	
6		12962	98105	22579	16070	83609	6463	
7	-	70643	14452	72329	09423	29992	90	
8		18272	53879	27694	98060	48232	1	
9		15461	63232	18969	02198	52612		
10	-	30565	39744	85393	22045	6069		
11		32330	64259	37894	70577	765		
12	-	26814	66148	63848	54172	34		
13		18723	68082	86641	79872	2		
14	-	10922	38175	52661	68405			
15		47364	93303	00445	813			
16	-	48386	73834	53079	0			
17	-	20487	30278	33310	1			
18		32754	18839	87454				
19	-	36229	14810	8473				
20		34452	20122	954				
21	-	30003	23969	68				
22		24579	37394	9				
23	-	19188	21306					
24		14353	4050					
25	-	10287	579					
26		70206	3					
27	-	44868						
28		2579						
29	-	118						
30		1						

$$S = 9.5$$

I	C SUB I						
0		47515	60994	08877	68463	22570	58637 82620
1		48093	60203	12686	86965	12084	29958 9565
2	-	22895	47756	42708	25920	47818	25429 443
3		14262	20723	93289	98864	06893	23376 5
4		87610	04389	19971	02680	19615	55133
5	-	99435	01784	85844	14875	77456	3991
6		68984	29309	91922	89757	29419	966
7	-	32133	00718	03550	07347	69084	28
8		54470	67983	37886	91438	35015	
9		81928	11231	84507	61926	5636	
10	-	12092	02826	52497	21362	5332	
11		10713	78232	02262	54107	262	
12	-	74624	97565	72116	50430	3	
13		42548	21440	74009	41221		
14	-	18566	84242	28675	2990		
15		36941	08542	24488	45		
16		39148	97973	63778	5		
17	-	67388	58272	22938			
18		68862	76408	5001			
19	-	58154	39803	419			
20		43919	84780	15			
21	-	30537	92493	4			
22		19733	94176				
23	-	11799	3552				
24		63754	57				
25	-	28968	0				
26		8093					
27		343					
28	-	90					
29		11					
30	-	1					

$$S = 10.5$$

I	O SUB I							
0		47739	44910	59762	68163	38870	05951	50018
1		43842	88144	31704	49508	62408	06277	9301
2	-	19054	18869	17939	94497	71356	19078	925
3		10159	26389	19042	96065	06752	81334	0
4		61400	45805	46975	38412	20722	99201	
5	-	62835	00628	80443	25134	78014	8680	
6		38966	19282	82155	71759	98144	475	
7	-	15720	23298	23347	29500	00533	70	
8		15429	30441	82568	96671	58824		
9		42766	07821	82379	77477	9338		
10	-	51084	10025	57477	10561	098		
11		38829	11138	40750	94410	55		
12	-	23052	22791	89323	43243	5		
13		10759	71740	49208	58570			
14	-	32734	21726	72303	572			
15	-	39699	38850	20826	1			
16		17011	16712	59134	6			
17	-	18052	62875	02838				
18		14417	19394	7608				
19	-	99072	57434	16				
20		60973	20024	2				
21	-	33857	02903					
22		16628	9074					
23	-	66841	43					
24		14960	2					
25		8625						
26	-	1681						
27		174						
28	-	15						
29		1						

$$S = 11.5$$

I	C SUB I							
0		47926	34991	27184	42689	91060	27565	77584
1		40286	24801	45986	14379	94389	46925	2037
2	-	16106	50030	56866	11054	70867	95160	272
3		74369	27378	34768	45141	23861	94542	
4		44330	86425	03566	44466	26795	36307	
5	-	41290	99916	12438	95464	60875	3484	
6		23121	30448	21446	14076	36564	567	
7	-	81681	63937	54659	48453	91079	6	
8		32526	21485	01285	60411	0175		
9		22722	95275	85691	98283	7878		
10	-	22924	14156	24606	63812	512		
11		15203	09738	40477	96343	21		
12	-	77770	60280	28197	56722			
13		29599	42531	49560	7352			
14	-	52222	97262	57565	31			
15	-	41008	33180	46983	8			
16		59104	47734	25946				
17	-	48506	11698	2963				
18		32021	31134	454				
19	-	18306	33015	69				
20		91902	09419					
21	-	39368	0630					
22		12618	842					
23	-	81050						
24	-	33095						
25		3958						
26	-	332						
27		24						
28	-	1						

$$S = 12.5$$

I	D SUB I							
0		48084	75169	39036	32322	26323	07039	14934
1		37265	89481	89835	98332	22875	33823	5739
2	-	13794	76675	62822	82791	65976	99595	183
3		55715	60625	89843	94465	19309	10423	
4		32819	12701	16245	66635	01259	35459	
5	-	28041	34033	37977	46658	84335	3059	
6		14299	11296	41237	64388	88683	861	
7	-	44648	11481	29736	66388	74403	0	
8	-	38731	16274	88861	22260	468		
9		12409	51954	28834	25221	1571		
10	-	10858	96807	09024	89357	102		
11		63644	06940	69033	84833	2		
12	-	28282	76590	23174	27131			
13		86786	53290	50228	775			
14	-	36473	80695	93255	3			
15	-	20194	95460	38163	1			
16		20090	07856	91966				
17	-	13650	83519	4992				
18		76328	68787	33				
19	-	36543	87291	2				
20		14685	85758					
21	-	43512	481					
22		23311	2					
23		98500						
24	-	10591						
25		796						
26	-	51						
27		3						

$$S = 13.5$$

I	C SUE I							
0		48220	70575	85944	92382	66929	31624	18354
1		34668	62088	43058	83814	42100	82248	7344
2	-	11948	07575	51119	47438	08500	55145	335
3		42579	13456	06036	26810	72551	56414	
4		24822	93057	37845	70074	57475	22773	
5	-	19585	40891	39989	12547	57094	4106	
6		91606	66567	16193	74116	33933	69	
7	-	25484	44733	08452	12904	43133	2	
8	-	12635	31661	01984	16796	7217		
9		69813	37425	42592	25616	715		
10	-	53972	73146	11871	37986	11		
11		28241	50944	59857	05270	8		
12	-	10970	80366	50805	26101			
13		26569	31037	14010	548			
14		30339	55719	62188	5			
15	-	88580	73002	92983				
16		70016	00342	4830				
17	-	40651	26204	918				
18		19489	05233	89				
19	-	77860	93326					
20		23822	4600					
21	-	30590	79					
22	-	29024	8					
23		34066						
24	-	2457						
25		146						
26	-	7						

$$S = 14.5$$

I	C SUB I							
0	48338	66416	01180	76585	70931	22682	56731	
1	32411	07551	91487	91417	87604	61886	7918	
2	- 10449	38264	66790	76030	20481	35140	326	
3	33107	11177	42626	17740	74144	74828		
4	19126	17549	17237	98273	74970	08415		
5	- 14014	98058	79684	51675	68326	3628		
6	60501	35047	34833	46792	82334	19		
7	- 15100	36380	43632	21362	18617	3		
8	- 12761	64371	21261	38928	2381			
9	40436	99324	38136	51902	220			
10	- 27998	75088	50887	58970	99			
11	13189	03767	76254	88023	6			
12	- 44998	89349	69955	8888				
13	82878	10783	54322	70				
14	26495	62094	27389	0				
15	- 38173	57052	31625					
16	25373	27361	5413					
17	- 12814	32735	656					
18	52975	51261	7					
19	- 17409	89893						
20	35668	434						
21	61166	1						
22	- 12584	6						
23	9441							
24	- 546							
25	27							
26	- 1							

$$S = 15.5$$

I	D SUB I							
0		48441	97518	51353	88966	23874	13962	56125
1		30430	50700	03855	29141	25727	50422	1015
2	-	92163	24634	11049	89729	41640	00217	28
3		26135	43585	70101	63737	01104	41592	
4		14977	41986	87156	77351	22878	64545	
5	-	10243	19567	08766	09271	09622	7020	
6		41032	56815	90189	12822	31425	43	
7	-	92444	12797	57485	86175	88936		
8	-	10599	81048	99247	56630	2636		
9		24076	09883	30194	79705	748		
10	-	15089	38596	84145	43263	98		
11		64438	09541	41417	09717			
12	-	19377	12166	98927	5838			
13		25388	19715	31373	34			
14		16213	16138	00720	3			
15	-	16660	45784	65772				
16		95957	77218	379				
17	-	42630	56564	12				
18		15214	43409	7				
19	-	39914	5442					
20		33480	96					
21		46439	8					
22	-	42638						
23		2528						
24	-	123						
25		5						

$$S = 16.5$$

I	D SUB I							
0		48533	20537	73463	79624	65494	25330	62195
1		28678	75689	04454	44616	51173	37614	8165
2	-	81895	67396	73422	03288	87626	25886	17
3		20910	44035	16602	39883	21900	40295	
4		11897	25883	49116	27131	64978	01552	
5	-	76271	44640	91728	22843	11913	421	
6		28485	98244	58483	36247	17763	06	
7	-	58245	63107	97774	65370	07942		
8	-	82084	09221	55265	90451	607		
9		14707	00089	79260	28112	211		
10	-	84147	15460	68505	12331	0		
11		32771	98922	78179	89061			
12	-	87071	14468	17490	068			
13		70763	65428	10028	0			
14		90559	36265	33083				
15	-	74466	97040	4028				
16		37858	34053	009				
17	-	14906	32997	10				
18		45792	37790					
19	-	90337	064					
20	-	81172	6					
21		20476	6					
22	-	13744						
23		686						
24	-	28						
25		1						

$$S = 17.5$$

I	C SUE I							
0		48614	35504	44326	48943	38349	68960	08404
1		27118	24311	06668	16928	12804	80939	8446
2	-	73254	81342	18782	84311	02255	60034	47
3		16931	21257	39821	62095	67061	84741	
4		95711	92165	85882	80689	59158	1540	
5	-	57737	77300	83019	16421	66611	128	
6		20189	37381	67895	42741	40880	54	
7	-	37647	75981	93754	74445	74003		
8	-	61741	58623	70635	73437	895		
9		91989	90890	81194	22340	95		
10	-	48389	14868	20666	55988	1		
11		17276	49736	21197	07792			
12	-	40617	81552	06424	300			
13		13698	78284	18333	7			
14		49264	38980	97862				
15	-	34224	83961	4566				
16		15552	53080	274				
17	-	54546	46247	7				
18		14318	57064					
19	-	18584	651					
20	-	78957	1					
21		80814						
22	-	4439						
23		191						
24	-	6						

$$S = 18.5$$

I	D SUB I							
0		48687	00620	64300	26073	03943	26999	22367
1		25719	20262	06596	24176	94445	30843	5504
2	-	65914	00451	49561	16623	39923	05422	64
3		13857	02209	60570	73333	93677	43050	
4		77877	71081	22831	24655	88027	0267	
5	-	44357	24563	20099	99935	94624	433	
6		14576	04176	95721	78855	55039	55	
7	-	24896	10707	68033	05769	67439		
8	-	45911	01604	65784	72195	917		
9		58805	86831	89685	88079	88		
10	-	28609	23769	22762	72754	8		
11		94066	72790	77110	6277			
12	-	19582	89790	87316	459			
13	-	24816	99785	79688				
14		26740	90492	93316				
15	-	16189	77820	3696				
16		66363	95141	84				
17	-	20800	71948	9				
18		46059	1092					
19	-	25369	36					
20	-	43099	1					
21		31093						
22	-	1463						
23		55						
24	-	1						

$$S = 19.5$$

I	D SUB I						
0	48752	42646	66812	68106	46799	16048	30796
1	24457	75520	28879	27905	52701	27555	3921
2	- 59624	72146	53928	72272	63173	93303	39
3	11451	26562	82975	45034	77786	36026	
4	64016	98278	24746	39113	42194	8285	
5	- 34532	45255	16498	67436	23626	905	
6	10699	53785	13079	22810	25701	99	
7	- 16805	21251	53354	28758	38940		
8	- 34045	51543	38601	76019	719		
9	38354	16138	16927	76211	39		
10	- 17345	82050	95013	91620	3		
11	52735	22137	40364	2411			
12	- 97196	27705	46684	18			
13	- 57269	02544	30098				
14	14638	02271	06335				
15	- 78790	99956	847				
16	29337	93771	96				
17	- 82333	12044					
18	15058	8381					
19	52052	1					
20	- 20689	1					
21	12012						
22	- 496						
23	16						

$$S = 20.5$$

I	C SUB I							
0	48811	64340	01821	47949	46525	04359	16097	
1	23314	51622	98374	65026	41433	78876	8438	
2	- 54195	15538	90412	89991	86497	23602	29	
3	95465	79200	78472	42246	76639	3126		
4	53111	67531	80497	41442	41736	1467		
5	- 27207	86755	05287	25322	30838	826		
6	79726	27375	27951	78838	85774	4		
7	- 11556	45763	73498	68347	80312			
8	- 25294	02556	92443	88992	140			
9	25481	74472	53653	22963	96			
10	- 10760	64922	74848	02324	5			
11	30359	15306	71987	7599				
12	- 49488	78595	77903	64				
13	- 52468	06458	48200					
14	81210	33329	3652					
15	- 39407	93323	030					
16	13402	71854	15					
17	- 33700	09378						
18	49199	359						
19	75646	9						
20	- 95464							
21	4717							
22	- 173							
23	5							

$$S = 21.5$$

I	D SUB I							
0		48865	49878	05683	56857	82456	79828	24780
1		22273	58480	34417	96307	02136	54754	9473
2	-	49475	35079	52924	32017	12251	07898	77
3		80225	85522	66153	48715	65902	5148	
4		44435	84044	12780	64381	42203	1334	
5	-	21671	47053	74806	45347	19001	640	
6		60221	01540	24300	23406	81535	2	
7	-	80823	74211	86321	41677	0958		
8	-	18875	48673	63865	51936	037		
9		17220	64917	28078	87309	81		
10	-	68168	49035	99421	99187			
11		17905	80633	08362	6505			
12	-	25766	25033	11682	66			
13	-	39950	38886	86945				
14		45767	04967	6621				
15	-	20229	09951	847				
16		63122	46042	2				
17	-	14214	09958					
18		15614	669					
19		52487	9					
20	-	43701						
21		1893						
22	-	62						
23		1						

$$S = 22.5$$

I	D SUB I							
0	48914	68874	45833	82518	25565	84814	31540	
1	21321	79375	07072	69874	29197	57864	0970	
2	- 45346	69876	73344	15354	31707	40702	22	
3	67913	84088	66382	21163	39076	5424		
4	37463	55227	46406	06605	94164	7060		
5	- 17433	90614	01489	91161	22036	808		
6	46055	72000	79628	60575	86310	4		
7	- 57404	86516	06043	32399	8719			
8	- 14168	09321	19095	05536	483			
9	11822	61124	95562	05734	01			
10	- 44023	03311	51047	38054				
11	10797	69656	08716	5309				
12	- 13676	43004	09638	90				
13	- 28344	48295	18837					
14	26223	88307	9320					
15	- 10642	15492	682					
16	30580	18416	8					
17	- 61572	0317						
18	45342	61						
19	31018	6						
20	- 20125							
21	778							
22	- 23							

$$S = 23.5$$

I	G SUB I							
0		48959	79397	18303	71791	36705	71551	70628
1		20448	14560	35133	12570	11460	26110	7035
2	-	41714	38533	25392	99221	66571	38715	05
3		57878	99444	44110	20419	97200	4252	
4		31808	26105	43134	97811	57513	9789	
5	-	14153	09803	97092	37296	40198	327	
6		35624	83090	92351	21019	54189	9	
7	-	41351	98192	21888	65722	7957		
8	-	10704	88480	58518	17937	836		
9		82359	96894	70915	53298	2		
10	-	28937	72448	91649	37008			
11		66454	64109	77534	607			
12	-	73791	30846	35812	0			
13	-	19491	42337	93340				
14		15279	54126	5734				
15	-	57295	19129	16				
16		15208	17887	0				
17	-	27302	9642					
18		99498	2					
19		17296	0					
20	-	9386						
21		327						
22	-	8						

$$S = 24.5$$

I	C SUB I							
0		49001	30266	00556	38854	40515	53481	74715
1		19643	38283	85008	82223	12087	46526	4150
2	-	38501	88134	96959	13737	63010	11440	06
3		49633	43615	04192	46922	21856	0071	
4		27182	09131	11281	54414	59972	4420	
5	-	11586	19279	19505	35589	34817	062	
6		27845	56123	29588	57771	82515	9	
7	-	30178	07343	21216	26289	3249		
8	-	81444	72691	04667	02261	06		
9		58157	13014	78270	72692	1		
10	-	19335	20228	67061	55141			
11		41676	42070	39508	741			
12	-	40353	30686	16044	8			
13	-	13223	21860	27913				
14		90507	04003	431				
15	-	31523	90117	82				
16		77497	31194					
17	-	12353	4283					
18	-	34804						
19		94347						
20	-	4448						
21		141						
22	-	3						

$$S = 25.5$$

I	D SUB I							
0		49039	62822	53716	24199	99901	58603	79571
1		18899	65647	87680	59664	48129	75956	7127
2	-	35646	86634	52260	73159	55055	85609	04
3		42807	14019	46528	26307	60659	1751	
4		23368	04922	39101	51094	11660	5924	
5	-	95583	16162	62617	14871	06455	70	
6		21975	56129	70367	80067	75932	5	
7	-	22289	52234	14353	79813	2323		
8	-	62402	60947	48590	74924	62		
9		41587	54880	73283	20910	4		
10	-	13116	22671	65995	90209			
11		26596	04055	37812	616			
12	-	22297	89981	75245	5			
13	-	89313	19030	0240				
14		54476	08174	820				
15	-	17702	10159	26				
16		40395	24074					
17	-	56840	389					
18	-	25860	2					
19		51173						
20	-	2145						
21		62						
22	-	1						

$$S = 26.5$$

I	D SUB I							
0		49075	12308	81152	89377	51874	30444	08899
1		18210	26773	41049	40172	21870	49739	5447
2	-	33098	17493	30900	56882	85931	93576	07
3		37116	45720	25049	39612	69937	0576	
4		20200	74221	59941	10829	70835	0114	
5	-	79418	90775	77190	86129	39455	82	
6		17498	12121	53727	47326	96974	7	
7	-	16647	11338	27624	00481	1960		
8	-	48148	77302	83060	53322	98		
9		30090	27651	43899	94296	6		
10	-	90235	23829	01566	6725			
11		17248	89528	61669	773			
12	-	12407	65716	84986	2			
13	-	60365	94759	1594				
14		33298	36567	586				
15	-	10133	02467	95				
16		21504	73642					
17	-	26499	512					
18	-	24761	1					
19		27829						
20	-	1053						
21		28						

$$S = 27.5$$

I	C SUB I							
0		49108	08951	82032	33897	20984	91470	05151
1		17569	46454	88624	02805	91292	97152	2258
2	-	30813	48266	86829	05135	38998	67147	67
3		32341	79641	79207	73181	79855	8296	
4		17552	80761	10218	59731	19359	6347	
5	-	66427	16535	08126	42969	80603	09	
6		14048	52950	58985	12463	78085	3	
7	-	12562	10069	43902	08210	9704		
8	-	37407	14422	81101	29878	15		
9		22011	79220	26715	20920	8		
10	-	62896	94708	73128	1041			
11		11356	28139	38176	113			
12	-	69251	69446	77650				
13	-	40950	39466	6258				
14		20656	27959	273				
15	-	59059	03429	9				
16		11675	69837					
17	-	12465	788					
18	-	18614	8					
19		15243						
20	-	526						
21		13						

$$S = 28.5$$

I	D SUE I							
0		49138	78824	64778	19977	18700	09700	82608
1		16972	27989	79891	29705	52760	73690	7818
2	-	28757	53347	07021	48944	09263	26075	26
3		28311	59676	82033	56370	26433	8732	
4		15325	23217	67976	50498	47611	7849	
5	-	55904	58465	05413	88699	69418	41	
6		11366	01154	65910	85072	52804	3	
7	-	95711	16881	39347	59298	396		
8	-	29257	07405	38504	79461	98		
9		16268	43772	43561	40614	2		
10	-	44380	25895	28294	0052			
11		75823	42704	96532	73			
12	-	38575	58185	03064				
13	-	27930	76582	9445				
14		12995	84706	562				
15	-	35011	15587	4				
16		64567	3853					
17	-	58868	91					
18	-	12793	2					
19		8431						
20	-	268						
21		6						

$$S = 29.5$$

I	D SUB I							
0		49167	44536	10052	68293	43119	18804	73177
1		16414	40215	94685	49288	83832	83186	1482
2	-	26900	76840	23446	14045	42094	35286	69
3		24890	67627	96792	24564	83045	7524	
4		13440	35727	61435	77751	14360	4350	
5	-	47320	54037	88584	77617	37861	63	
6		92018	58591	31274	47775	06457		
7	-	73580	49304	98379	17705	063		
8	-	23031	40837	08323	48988	60		
9		12140	03269	53800	34160	4		
10	-	31674	81426	31213	7994			
11		51294	11976	21753	80			
12	-	21299	77185	23151				
13	-	19174	42969	7313				
14		82869	31673	40				
15	-	21089	86512	8				
16		36325	2581					
17	-	27720	53					
18	-	84372						
19		4715						
20	-	139						
21		2						

S = 30.5

I		D SUB I						
0		49194	25787	39522	09054	56681	43791	38795
1		15892	07037	18679	71696	85337	24157	9215
2	-	25218	25517	23653	48601	54785	65669	13
3		21971	66932	01357	43096	30471	3921	
4		11836	77146	88259	73713	66052	1372	
5	-	40270	83710	96774	24400	31375	28	
6		75979	78453	64706	10367	39921		
7	-	57044	27245	74506	04242	353		
8	-	18244	09512	28309	89896	40		
9		91416	41982	11723	07902			
10	-	22850	26939	25017	2524			
11		35129	37818	69060	36			
12	-	11539	77042	27992				
13	-	13256	78905	4536				
14		53523	04498	51				
15	-	12897	18678	9				
16		20768	0054					
17	-	12888	61					
18	-	54546						
19		2668						
20	-	73						
21		1						

$$S = 31.5$$

I	C SUB I							
0	49219	39824	86694	45157	96516	24822	05925	
1	15401	98897	23054	23654	54078	56977	4889	
2	- 23688	84525	14889	79822	76505	61130	97	
3	19468	66782	42689	80636	24073	9391		
4	10465	53604	07627	40502	70025	6410		
5	- 34444	80213	26446	71638	06403	33		
6	62722	60162	38365	01192	61642			
7	- 44574	21513	33362	37378	130			
8	- 14538	92700	83491	99886	39			
9	69426	84901	81015	52586				
10	- 16650	93794	66917	3036				
11	24338	09657	09325	03				
12	- 60311	00751	5827					
13	- 92335	18801	495					
14	34992	74351	65					
15	- 80003	02191						
16	12054	0812						
17	- 58235	1						
18	- 34951							
19	1528							
20	- 39							

$$S = 32.5$$

I	D SUB I							
0	49243	01810	66850	29673	62044	97049	63380	
1	14941	25791	21367	26760	99420	12267	1473	
2	- 22294	50490	86453	89747	66742	26091	66	
3	17312	45335	20172	46156	96181	8279		
4	92873	70345	04323	38922	77658	164		
5	- 29601	62710	79208	67379	25591	14		
6	52084	59073	38193	59111	20932			
7	- 35089	02658	61567	16109	682			
8	- 11653	23162	75093	96880	17			
9	53151	74994	03632	99468				
10	- 12248	93072	04999	1369				
11	17045	88137	98470	30				
12	- 29418	45366	4759					
13	- 64798	42852	301					
14	23144	62890	14					
15	- 50300	43934						
16	70961	467						
17	- 24815	5						
18	- 22335							
19	886							
20	- 21							

$$S = 33.5$$

I	C SUB I							
0		49265	25128	28170	01910	73307	22684	34258
1		14507	31500	69172	66511	40430	05833	3242
2	-	21019	78031	74770	90835	11540	84107	43
3		15446	88948	58394	48154	95905	1897	
4		82705	32289	70123	22247	38384	637	
5	-	25553	17740	12707	43983	06249	53	
6		43491	21898	07211	16249	70261		
7	-	27815	49083	77174	28091	627		
8	-	93920	81444	76002	90376	2		
9		41001	51393	51636	85289			
10	-	90914	62547	26511	312			
11		12061	40829	24552	60			
12	-	12339	68110	6208				
13	-	45817	53025	327				
14		15478	03432	78				
15	-	32031	70148					
16		42333	646					
17	-	92914						
18	-	14287						
19		520						
20	-	11						

$$S = 34.5$$

I	D SUB I							
0	49286	21635	83132	72231	26151	92297	86181	
1	14097	88809	11531	72361	30489	47831	3732	
2	- 19851	36687	20122	65076	45571	43956	97	
3	13826	16890	60696	99477	34044	3768		
4	73892	08342	06768	01880	15826	240		
5	- 22151	37599	26767	47227	06194	07		
6	36505	82150	84971	98446	04860			
7	- 22195	13882	60446	90861	354			
8	- 76099	01575	22982	18119	3			
9	31856	30138	02190	76965				
10	- 68050	14266	99134	753				
11	86173	55095	73140	6				
12	- 31466	28803	569					
13	- 32638	85246	260					
14	10460	35785	82					
15	- 20646	33038						
16	25572	616						
17	- 23430							
18	- 9171							
19	308							
20	- 6							

$$S = 35.5$$

I	D SUB I							
0	49306	01877	31628	24058	77937	08930	59900	
1	13710	95508	48273	89049	92139	41270	8092	
2	- 18777	76013	17383	76609	33814	31547	13	
3	12412	69582	30105	37470	44211	7034		
4	66222	80446	20594	42958	11706	748		
5	- 19278	85765	72278	12844	14531	03		
6	30793	82608	32391	43339	75759			
7	- 17820	79125	36388	40841	739			
8	- 61972	88927	91896	18171	2			
9	24919	47322	53200	92205				
10	- 51343	46264	35371	264				
11	62132	57024	46179	3				
12	15655	85116	568					
13	- 23421	60669	811					
14	71404	80781	5					
15	- 13461	48901						
16	15630	259						
17	5415							
18	- 5915							
19	185							
20	- 3							

$$S = 36.5$$

I	D SUB I						
0	49324	75259	69300	39096	74843	90849	97391
1	13344	71048	53992	11599	60647	51923	5493
2	- 17788	97117	64887	81077	64845	78891	33
3	11175	44483	28490	04924	79705	3722	
4	59523	74261	66369	46877	00884	319	
5	- 16841	98454	43234	62567	52655	68	
6	26096	92387	92468	75509	89254		
7	- 14392	92593	30306	06632	382		
8	- 50715	14695	75611	11968	6		
9	19619	04790	44518	48348			
10	- 39031	82816	08438	097			
11	45188	09715	70854	0			
12	37591	45107	758				
13	- 16927	95476	034				
14	49210	33310	6				
15	- 88732	4634					
16	96594	98					
17	15464						
18	- 3838						
19	112						
20	- 2						

$$S = 37.5$$

I	D SUB I							
0		49342	50202	08147	51153	20398	99066	09837
1		12997	53710	99067	66061	58483	18113	6403
2	-	16876	29313	39370	40051	71849	63966	67
3		10088	67994	89760	79064	55093	7393	
4		53651	19149	08181	20145	91027	096	
5	-	14765	58303	93268	26512	42007	33	
6		22214	24611	95089	85231	13168		
7	-	11689	35682	36849	04545	941		
8	-	41696	41550	26128	62550	4		
9		15540	73134	33221	02867			
10	-	29885	54168	65504	654			
11		33135	57170	38863	3			
12		45653	27636	485				
13	-	12320	15601	401				
14		34224	96305	2				
15	-	59099	0477					
16	-	60319	03					
17		17218						
18	-	2506						
19		69						
20	-	1						

$$S = 38.5$$

I	D SUE I							
0		49359	34262	08204	74729	68395	80876	24099
1		12667	98215	13860	49544	49680	56020	4084
2	-	16032	10862	69644	62110	72875	76983	47
3		91309	48031	76159	52587	50836	743	
4		48485	68804	75036	44578	57588	425	
5	-	12988	94652	68682	16464	93453	84	
6		18988	52473	43775	40120	68017		
7	-	95439	51699	75949	70589	28		
8	-	34435	06235	37337	32908	4		
9		12381	93765	89576	59436			
10	-	23038	56512	84564	870			
11		24487	89407	27642	8			
12		46342	40954	034				
13	-	90274	31523	70				
14		24010	92338	2				
15	-	39753	2074					
16		38036	08					
17		15651						
18	-	1647						
19		42						

$$S = 39.5$$

I	D SUB I							
0	49375	34243	19681	37283	05524	81121	28175	
1	12354	73679	98035	03844	28143	33723	8119	
2	- 15249	73014	31186	92316	04535	29607	59	
3	82842	82797	22064	51597	93370	861		
4	43927	44694	55285	73854	45459	092		
5	- 11462	77701	12903	36526	36131	76		
6	16295	83211	88180	94912	94856			
7	- 78315	51996	53839	21545	97			
8	- 28560	40182	46717	30260	3			
9	99199	14209	96626	0859				
10	- 17875	44176	53346	177				
11	18231	77731	84787	6				
12	43364	10526	821					
13	- 66582	18764	44					
14	16985	80197	2					
15	- 26993	3902						
16	24205	99						
17	13045							
18	- 1090							
19	26							

$$S = 40.5$$

I	D SUB I							
0		49390	56286	57236	53039	02456	26194	15762
1		12056	61882	30882	81906	67722	58803	1671
2	-	14523	26704	53250	97366	27394	50762	96
3		75335	71547	80458	37911	25268	360	
4		39892	74024	09090	48994	87155	696	
5	-	10146	82860	41629	19210	72162	77	
6		14037	91401	70364	30228	33164		
7	-	64571	91123	37286	00740	82		
8	-	23785	55277	68489	86262	9		
9		79894	40069	30677	9124			
10	-	13955	02339	89860	587			
11		13670	14527	71478	1			
12		38797	61241	755				
13	-	49420	42955	50				
14		12112	02579	3				
15	-	18494	7908					
16		15537	88					
17		10389						
18	-	727						
19		17						

$$S = 41.5$$

I	D SUB I							
0		49405	05949	66983	42874	66623	01213	96614
1		11772	55761	82611	41966	74518	53357	2293
2	-	13847	51425	98822	98349	17800	44508	76
3		68660	48470	92451	42346	75495	135	
4		36311	00978	30736	66909	11393	483	
5	-	90080	79682	89116	90977	62069	5	
6		12136	41705	34353	21329	53106		
7	-	53483	20135	08178	47952	88		
8	-	19887	29824	89331	14891	4		
9		64670	85287	63113	9920			
10	-	10958	51115	01422	084			
11		10319	06985	29570	6			
12		33778	57839	378				
13	-	36907	85487	91				
14		87026	73436					
15	-	12781	2560					
16		10054	68					
17		8057						
18	-	488						
19		10						

$$S = 42.5$$

I	O SUB I							
0	49418	88273	98467	58461	73567	90697	01123	
1	11501	58133	32565	72957	92902	97125	5235	
2	- 13217	85869	47964	87923	08134	05135	97	
3	62708	86998	24584	88217	97824	847		
4	33122	55112	10011	42941	46689	208		
5	- 80193	06123	79383	77649	77529	2		
6	10528	51166	79513	00356	96410			
7	- 44491	56409	45394	27591	36			
8	- 16691	05422	19138	58371	0			
9	52600	07708	49345	0427				
10	- 86537	24373	31250	10				
11	78396	70898	43010					
12	28898	48406	497					
13	- 27727	17295	64					
14	62987	47113						
15	- 89056	654						
16	65558	3						
17	6150							
18	- 330							
19	7							

$$S = 43.5$$

I	C SUB I							
0	49432	07843	55380	33278	55378	54552	86183	
1	11242	80573	22071	28102	50845	73064	5774	
2	- 12630	20023	21275	48476	42446	35119	20	
3	57388	70157	13680	42917	55331	514		
4	30276	64590	96979	26424	82494	008		
5	- 71579	60886	04175	96772	16854	6		
6	91635	50592	00605	63382	4269			
7	- 37165	43863	41818	69089	72			
8	- 14059	58784	77655	76606	9			
9	42979	15547	78381	6028				
10	- 68703	07816	79678	77				
11	59926	71323	06394					
12	24438	74911	676					
13	- 20949	78684	29					
14	45908	15477						
15	- 62542	445						
16	43047	8						
17	4648							
18	- 224							
19	4							

$$S = 44.5$$

I	D SUB I							
0		49444	68835	67959	83453	02713	30489	98876
1		10995	42453	47779	35787	63028	59334	4301
2	-	12080	88475	64759	81921	03337	45617	08
3		52621	22673	73117	35176	77262	288	
4		27730	04832	48680	53129	26797	536	
5	-	64052	89114	05753	51739	98353	5	
6		80005	01375	20230	24204	0521		
7	-	31168	98122	05606	79985	34		
8	-	11884	50297	99989	39451	4		
9		35272	57148	47904	2901			
10	-	54823	80745	77410	38			
11		46077	83623	92681				
12		20507	75700	537				
13	-	15916	81144	46				
14		33684	94864					
15	-	44254	289					
16		28452	7					
17		3493						
18	-	154						
19		3						

$$S = 45.5$$

I	D SUE I						
0	49456	75065	05234	33961	55498	83450	00080
1	10758	70100	67092	47464	55829	87500	6699
2	- 11566	64716	83989	51060	48810	82392	20
3	48338	92232	40406	57320	11391	375	
4	25445	75244	59523	79426	25152	240	
5	- 57456	25423	76497	93269	48432	5	
6	70059	61495	93699	70419	7509		
7	- 26239	36490	04628	51655	36		
8	- 10079	77955	86570	23297	7		
9	29069	90119	31981	5947			
10	- 43962	94650	82385	16			
11	35629	01254	38094				
12	17120	67926	096				
13	- 12157	74264	58				
14	24875	71793					
15	- 31540	824					
16	18920	5					
17	2616						
18	- 106						
19	1						

$$S = 46.5$$

I	O SUB I						
0	49468	30022	25200	96861	07549	98580	02255
1	10531	96061	64268	26231	27145	89426	9226
2	- 11084	56271	66613	69845	99731	24994	25
3	44483	70066	75595	89311	32967	007	
4	23391	98381	32319	38153	81442	832	
5	- 51658	32947	75876	30343	97410	1	
6	61526	14835	27399	96432	8171		
7	- 22169	79814	42069	60109	28		
8	- 85768	45706	69869	93735			
9	24054	79040	70937	1258			
10	- 35419	27773	72196	50			
11	27698	32574	93656				
12	14245	54308	362				
13	- 93345	00849	7				
14	18484	12634					
15	- 22636	070					
16	12652	3					
17	1957						
18	- 73						
19	1						

$$S = 47.5$$

I	D SUB I							
0		49479	36907	44723	74572	37847	11129	09437
1		10314	58460	32520	13322	60089	81903	6300
2	-	10632	00528	96361	76216	77033	38746	79
3		41005	43175	61220	03090	23545	639	
4		21541	37074	56422	36523	68286	894	
5	-	46548	53305	98494	06504	40691	5	
6		54180	24626	55717	84506	0899		
7	-	18796	74035	36431	86835	72		
8	-	73207	99766	31250	11627			
9		19982	05499	69719	5844			
10	-	28664	48288	39384	43			
11		21644	39639	74887				
12		11829	39058	663				
13	-	72026	84188	4				
14		13816	62058					
15	-	16353	848					
16		85040						
17		1464						
18	-	51						

$$S = 48.5$$

I	C SUB I							
0	49489	98659	97613	30527	99827	38709	74768	
1	10106	00432	78127	87280	76878	15022	6746	
2	- 10206	61155	12096	73501	22104	02074	29	
3	37860	72087	10286	33419	64727	106		
4	19870	26049	91150	31272	90048	650		
5	- 42033	43842	51932	98726	14119	8		
6	47836	84459	29736	27632	2718			
7	- 15990	21811	06598	38786	30			
8	- 62674	99610	56491	24374				
9	16660	66926	06824	4795				
10	- 23298	14049	19383	06				
11	16997	67968	96284					
12	98127	38015	46					
13	- 55845	68126	8					
14	10386	90310						
15	- 11890	971						
16	57421							
17	1096							
18	- 36							

$$S = 49.5$$

I	C SUE I						
0	49500	17984	38421	47467	66502	87931	78713
1	99056	96295	83886	30354	84247	60028	725
2	- 98062	50003	47868	27029	30485	98756	6
3	35011	89354	53041	96876	43721	319	
4	18358	15266	65754	18612	85293	113	
5	- 38033	83869	20920	05766	52453	7	
6	42342	68330	09636	83154	2338		
7	- 13646	44713	45014	33657	58		
8	- 53813	09381	17856	61348			
9	13941	05076	16370	5751			
10	- 19015	03070	92335	36			
11	13412	23926	10059				
12	81372	09137	37				
13	- 43501	73169	7				
14	78516	1051					
15	- 86993	53					
16	38930						
17	821						
18	- 25						

$$S = 50.5$$

I	C SUB I							
0	49509	97373	40478	91297	10522	65562	39823	
1	97131	77763	49335	48928	10268	59076	890	
2	- 94289	94217	53795	26508	37980	39321	3	
3	32426	14948	28733	87971	45948	014		
4	16987	22789	84978	01912	18349	966		
5	- 34482	35746	80186	81782	72872	7		
6	37570	35070	54867	23378	9674			
7	- 11682	17938	62532	36165	83			
8	- 46333	47050	41002	05760				
9	11705	50050	88019	5392				
10	- 15581	22508	87681	13				
11	10631	64886	93955					
12	67492	36828	05					
13	- 34039	08788	3					
14	59666	6805						
15	- 64021	91						
16	26488							
17	617							
18	- 18							

$$S = 51.5$$

I	D SUB I							
0	49519	39128	29253	99879	22399	87063	02850	
1	95280	02846	44190	55839	72422	62650	458	
2	- 90730	99602	62952	13326	74031	45207	0	
3	30074	85474	75978	54626	43341	812		
4	15741	95444	95985	29125	75909	942		
5	- 31321	49749	83699	79004	28716	6		
6	33413	53138	10167	62115	3254			
7	- 10030	34860	83737	52183	55			
8	- 40001	15347	36957	96146				
9	98609	74767	72951	045				
10	- 12816	49033	56409	96				
11	84647	15449	2662					
12	56015	46814	45					
13	- 26750	94975	3					
14	45574	5243						
15	- 47385	73						
16	18075							
17	465							
18	- 13							

$$S = 52.5$$

I	D SUB I							
0		49528	45376	85923	48868	81170	85001	15648
1		93497	59066	53584	28360	32996	20710	600
2	-	87369	83188	98740	51262	53967	04111	7
3		27932	94755	59721	87729	84526	382	
4		14608	75852	61403	54870	21401	330	
5	-	28502	04048	43057	34853	28375	5	
6		29783	19724	79895	39901	9135		
7	-	86366	98704	94040	42602	4		
8	-	34624	27511	38790	59520			
9		83335	90071	63076	878			
10	-	10581	26001	59555	68			
11		67680	79145	4618				
12		46534	32866	85				
13	-	21111	96496	1				
14		34982	4768					
15	-	35265	83					
16		12364						
17		351						
18	-	9						

$$S = 53.5$$

I		C SUB I							
0		49537	18089	50886	87129	04378	42412	36298	
1		91780	64279	72605	89191	99858	65673	618	
2	-	84192	05985	64937	89762	18054	41215	4	
3		25978	43776	39350	04463	99939	487		
4		13575	74714	00070	09614	60089	184		
5	-	25981	72978	46993	51154	03652	6		
6		26604	54133	55813	97143	9855			
7	-	74571	60149	24740	66188	7			
8	-	30045	60813	59751	40188				
9		70644	23963	26303	458				
10	-	87669	32056	33904	5				
11		54336	62137	6620					
12		38704	11811	06					
13	-	16729	66071	0					
14		26980	0131						
15	-	26385	37						
16		8470							
17		265							
18	-	6							

$$S = 54.5$$

I	C SUB I							
0	49545	59093	52640	12833	09685	16596	01897	
1	90125	63936	97907	85300	52906	78799	901	
2	- 81184	57545	08354	55153	38822	00642	6	
3	24191	98391	12410	05518	61820	813		
4	12632	47433	69808	01199	48301	356		
5	- 23724	18195	03158	82113	49085	9		
6	23814	49906	86765	23725	6313			
7	- 64557	98701	66924	22960	0			
8	- 26135	86617	27986	76972				
9	60062	89751	19096	050				
10	- 72886	02445	05492	6				
11	43795	59092	0790					
12	32235	95739	94					
13	- 13309	38622	8					
14	20903	8259						
15	- 19842	41						
16	5808							
17	201							
18	- 4							

$$S = 55.5$$

I	D SUB I							
0		49553	70085	83800	67574	42291	65278	91473
1		88529	28636	81788	43853	03482	10412	577
2	-	78335	42424	65895	40263	87452	87276	2
3		22556	53469	28511	08022	60781	547	
4		11769	74338	43711	04401	33693	110	
5	-	21697	98411	23763	42452	08735	5	
6		21359	73642	59369	28486	8566		
7	-	56032	04214	83242	41245	4		
8	-	22788	39367	85252	97641			
9		51212	47325	23453	679			
10	-	60795	93989	92543	8			
11		35433	86169	7935				
12		26889	69801	01				
13	-	10628	87138	3				
14		16267	9862					
15	-	14995	87					
16		3982						
17		153						
18	-	3						

$$S = 56.5$$

I	D SUB I							
0		49561	52644	43022	39673	75086	62641	76136
1		86988	51933	88509	43455	65467	23303	934
2	-	75633	68283	12996	32045	60559	67913	4
3		21057	02413	19595	52249	39609	188	
4		10979	43887	42727	64611	74248	286	
5	-	19875	94290	51502	50295	03637	8	
6		19195	01069	52634	75079	6075		
7	-	48752	19900	53957	78115	9		
8	-	19914	90359	69128	33989			
9		43786	73051	87198	962			
10	-	50873	15212	46175	6			
11		28773	97211	7522				
12		22466	76187	78				
13	-	85196	67125					
14		12714	5760					
15	-	11387	32					
16		2727						
17		117						
18	-	2						

S = 57.5

I	D SUB I							
0	49569	08238	58959	63127	63620	79331	74502	
1	85500	48272	80965	06116	56117	23109	791	
2	- 73069	35390	27739	86049	58846	91632	8	
3	19680	11166	15933	44234	47716	404		
4	10254	38379	77979	88676	17896	855		
5	- 18234	45740	16542	73888	99221	3		
6	17281	82982	61653	00443	2625			
7	- 42519	33201	14439	84924	6			
8	- 17442	10181	42155	36689				
9	37537	56416	48518	146				
10	- 42701	10252	66061	5				
11	23448	77733	0055					
12	18803	53960	29					
13	- 68535	37306						
14	99785	821						
15	- 86871	2						
16	1863							
17	90							
18	- 1							

$$S = 58.5$$

I	D SUB I							
0	49576	38238	10251	77273	30731	75931	33578	
1	84062	51720	80064	89603	42577	51248	041	
2	- 70633	27361	15465	54783	40098	42512	1	
3	18413	95988	02945	70124	41980	016		
4	95882	17530	16448	31261	21626	94		
5	- 16752	99390	53807	65817	45749	4		
6	15587	35203	48610	41318	3554			
7	- 37168	78546	66948	88789	3			
8	- 15308	94952	36314	69863				
9	32263	23951	58544	031				
10	- 35948	51007	90008	3				
11	19174	68196	7986					
12	15765	55289	02					
13	- 55324	31521						
14	78627	843						
15	- 66568	5						
16	1267							
17	69							
18	- 1							

$$S = 59.5$$

I	D SUB I							
0	49583	43921	53640	39581	18245	54372	05685	
1	82672	13375	91622	24760	31786	92853	662	
2	- 68317	02954	22738	89339	34599	30097	2	
3	17248	04400	93153	77512	92295	567		
4	89752	91381	17961	52251	40821	53		
5	- 15413	64469	04271	48205	25324	6		
6	14083	47946	54431	28209	0355			
7	- 32563	93374	57128	03980	6			
8	- 13464	46641	69180	96619				
9	27799	15324	03438	883				
10	- 30350	88004	78839	4				
11	15731	66859	0051					
12	13242	42737	21					
13	- 44810	61031						
14	62196	923						
15	- 51231	6						
16	857							
17	53							
18	- 1							

$$S = 60.5$$

I	D SUB I							
0	49590	26483	70745	01432	10722	99491	49583	
1	81327	00930	96235	31143	42011	81673	033	
2	- 66112	88796	04175	62318	20974	66000	8	
3	16172	98810	42460	80229	20302	669		
4	84105	78945	22961	17655	32239	89		
5	- 14200	75616	28551	39985	09862	9		
6	12746	10917	81309	78946	0229			
7	- 28591	06993	03013	87782	3			
8	- 11865	95212	78615	60020				
9	24010	54561	38540	829				
10	- 25696	23932	82758	4				
11	12948	32241	0092					
12	11143	63890	86					
13	- 36413	76271						
14	49384	819						
15	- 39593	5						
16	574							
17	41							

$$S = 61.5$$

I	D SUB I						
0	49596	87042	42667	54590	76649	98535	99925
1	80024	96875	54915	64865	21319	03909	329
2	- 64013	72914	69373	83856	00681	33386	8
3	15180	42391	03182	31568	47154	232	
4	78895	98956	60203	76425	45730	76	
5	- 13100	61461	59817	67100	34265	5	
6	11554	51214	68968	39777	8564		
7	- 25155	27221	16808	15700	9		
8	- 10477	54284	21221	48114			
9	20786	72938	97511	956			
10	- 21814	08422	37583	3			
11	10690	54840	5784				
12	93949	57755	4				
13	- 29684	40161					
14	39354	962					
15	- 30723	4					
16	379						
17	32						

$$S = 62.5$$

I	C SUB I							
0	49603	26644	60432	93157	19573	69992	01163	
1	78763	97421	03917	72168	97303	79949	298	
2	-	62012	98980	93887	07799	10729	82529	9
3		14262	86893	50148	72661	75124	430	
4		74083	48741	25188	82074	20898	21	
5	-	12101	17991	68992	73632	75019	1	
6		10490	81677	46780	54340	9624		
7	-	22177	06857	15256	02568	1		
8	-	92690	36145	93365	0415			
9		18036	50225	74618	033			
10	-	18566	78103	34168	3			
11		88530	30870	417				
12		79355	01286	4				
13	-	24273	30771					
14		31473	041					
15	-	23934	3					
16		246						
17		25						

$$S = 63.5$$

I	D SUB I
0	49609 46271 78273 95559 36570 58796 19400
1	77542 11435 02041 17527 63437 36545 439
2	- 60104 61169 79786 05501 22602 77827 7
3	13413 62087 35397 94368 73641 109
4	69632 46671 86931 97367 34657 45
5	- 11191 85920 34062 71115 17842 7
6	95395 78032 74528 21476 042
7	- 19589 73362 46131 45478 7
8	- 82149 31277 17166 6380
9	15684 48670 22761 889
10	- 15842 84774 03923 1
11	73527 39739 533
12	67153 05736 6
13	- 19908 06575
14	25256 022
15	- 18716 5
16	155
17	19

$$S = 64.5$$

I	D SUB I							
0		49615	46845	15907	06711	11065	53256	44996
1		76357	59473	57342	92760	32585	24409	201
2	-	58282	99567	40451	71605	80235	70665	6
3		12626	66598	55442	35797	94220	145	
4		65510	82292	71577	99172	87439	19	
5	-	10363	31407	72878	18464	07478	4	
6		86874	16974	51814	51965	855		
7	-	17337	09044	79042	56110	8		
8	-	72936	42518	77941	4709			
9		13668	19935	74186	063			
10	-	13551	68453	97891	2			
11		61239	71662	956				
12		56933	33965	1				
13	-	16375	39158					
14		20334	528					
15	-	14690	4					
16		93						
17		15						

$$S = 65.5$$

I	D SUB I							
0	49621	29230	15202	01964	72149	39915	51095	
1	75208	72901	01652	97879	75594	50598	891	
2	- 56542	96057	95735	95355	81446	06198	0	
3	11896	59940	39356	47756	37836	146		
4	61689	72994	82169	55090	97544	29		
5	- 96072	95919	93012	30454	83847			
6	79227	18272	38103	20569	762			
7	- 15371	71724	36327	14725	9			
8	- 64868	55256	42314	2486				
9	11935	69633	47353	397				
10	- 11619	42490	98469	8				
11	51145	47115	168					
12	48358	45664	0					
13	- 13507	70004						
14	16424	946						
15	- 11571	8						
16	52							
17	12							

$$S = 66.5$$

I	C SUE I							
0	49626	94240	56003	94623	29183	91598	40251	
1	74093	93088	03835	50995	01280	26619	458	
2	- 54879	70634	26270	24388	83224	70899	6	
3	11218	55567	35230	91634	79550	674		
4	58143	26299	29211	85842	49366	35		
5	- 89165	04883	26674	43639	95017			
6	72353	75739	85509	82314	693			
7	- 13653	47966	77537	73676	1			
8	- 57789	89756	04175	8202				
9	10443	67498	59402	414				
10	- 99856	56807	68462					
11	42828	82119	949					
12	41150	66603	6					
13	- 11172	85550						
14	13308	652						
15	- 91470							
16	24							
17	9							

$$S = 67.5$$

I	C SUE I							
0	49632	42642	35307	42414	70922	42226	37726	
1	73011	70680	19143	30807	61617	05017	063	
2	- 53288	78082	73243	74662	86607	97480	3	
3	10588	14808	06705	26572	23504	214		
4	54848	06953	46571	07017	80843	05		
5	- 82844	68865	29058	60789	75649			
6	66165	77655	27637	78065	106			
7	- 12148	32601	40264	94840	3			
8	- 51567	65419	11642	5774				
9	91559	38639	83801	45				
10	- 86008	22170	33806					
11	35957	24499	420					
12	35081	03289	9					
13	- 92663	2084						
14	10816	475						
15	- 72548							
16	7							
17	7							

S = 68.5

I	D	SUB	I
0	49637	75157	13495 83528 90360 32894 92365
1	71960	64929	64607 42962 39912 06612 545
2	- 51766	05000	02083 94777 05842 51152 5
3	10001	41555	46870 36267 78735 586
4	51783	08167	00049 67913 65072 54
5	- 77054	39398	23516 19015 79802
6	60586	25193	50095 53987 293
7	- 10827	29524	63659 42443 5
8	- 46088	34462	60054 6495
9	80421	50987	28691 08
0	- 74241	47188	92783
1	30263	97113	340
2	29960	58271	4
3	- 77051	2082	
4	88170	21	
5	- 57730		
6	- 3		
7	5		

$$S = 69.5$$

I	C SUB I
0	49642 92465 30935 50926 92970 72436 36605
1	70939 43083 91149 58181 93078 72003 609
2	- 50307 67103 91500 15677 60334 37581 4
3	94547 76105 18598 58060 06612 59
4	48929 26417 04117 20814 02469 65
5	- 71743 01885 53052 18168 47748
6	55547 78474 36551 61587 358
7	- 96656 97928 41570 87890
8	- 41254 79691 14633 3642
9	70768 22369 90712 79
10	- 64219 89436 70044
11	25534 29453 810
12	25633 09071 4
13	- 64231 8380
14	72078 69
15	- 46086
16	- 10
17	4

$$S = 70.5$$

I	C SUB I							
0		49647	95208	97843	96657	19022	86389	53791
1		69946	79825	93663	21449	35543	58835	828
2	-	48910	06805	76912	22969	48174	77323	9
3		89449	85913	42174	45730	13743	52	
4		46269	39337	03872	80787	46245	32	
5	-	66864	98041	87161	82126	97001		
6		50991	25709	54133	62995	252		
7	-	86424	38027	09133	86902			
8	-	36983	62470	06764	2728			
9		62384	82341	35920	07			
10	-	55665	13548	47927				
11		21594	87880	851				
12		21969	20331	6				
13	-	53677	3398					
14		59089	00					
15	-	36904						
16	-	14						
17		3						

B L A N K P A G E

APPENDIX B

VALUES OF $\pi_{s+\frac{1}{2}}(s)$, $\pi_{s-\frac{1}{2}}(s)$, AND $\pi_{s+\frac{1}{2}}(s-\frac{1}{2})$

Table 2
 $\Pi_{s+\frac{1}{2}}(s)$ to 33 Decimal Places for $s = 1(1)70$

s	$\Pi_{s+\frac{1}{2}}(s)$					
1	0.25396	60243	36788	20750	56056	53722 937
2	0.33669	72531	21326	33052	39065	52592 747
3	0.37739	01650	32642	25053	28934	28843 737
4	0.40173	03517	64841	97396	78340	54278 770
5	0.41796	33353	81213	50477	67451	18172 270
6	0.42957	44054	08420	88661	52478	09003 143
7	0.43829	68276	00080	50735	72035	28556 068
8	0.44509	17430	33055	82684	67839	67611 405
9	0.45053	57084	17628	08803	40365	66524 242
10	0.45499	58297	22878	02037	88149	41388 062
11	0.45871	70733	35319	26019	01596	70103 652
12	0.46186	92180	24929	63478	86583	59948 837
13	0.46457	36744	19608	58169	91971	88658 530
14	0.46691	95794	50527	74521	58812	11605 372
15	0.46897	38604	17063	95826	81836	78368 279
16	0.47078	77515	49129	63069	02295	76232 624
17	0.47240	11418	71375	07706	20431	16784 742
18	0.47384	55526	12607	69632	11509	96658 509
19	0.47514	62232	27486	17457	97423	93853 670
20	0.47632	36027	23779	54489	89949	22269 366
21	0.47739	44352	03761	04174	34321	45689 445
22	0.47837	25628	98030	96127	40379	11671 212
23	0.47926	95289	32518	38208	77263	23631 182
24	0.48009	50357	91386	22969	70138	23806 071
25	0.48085	72982	46722	89182	45677	79632 100
26	0.48156	33180	57591	06010	50027	93295 953
27	0.48221	90999	53978	42790	89387	99691 904
28	0.48282	98230	47366	15605	66563	57543 852
29	0.48339	99780	45520	00494	16069	92377 752
30	0.48393	34799	76090	64278	32422	96684 640
31	0.48443	37482	01161	73395	36992	47357 434
32	0.48490	38001	05871	69671	38710	92890 412
33	0.48534	62918	14923	88215	17010	07630 086
34	0.48576	35785	25715	34375	27942	48124 734
35	0.48615	77544	72669	65149	76445	53042 903
36	0.48653	06881	02627	50607	98800	62019 092
37	0.48688	40517	09199	25908	75404	84983 569
38	0.48721	93465	18502	66015	76696	81878 149
39	0.48753	79240	20610	16277	25298	04543 616
40	0.48784	10041	86339	58380	85142	17067 797
41	0.48812	96910	87420	96527	10222	00577 180
42	0.48840	49863	41878	18477	23324	32927 643
43	0.48866	78007	29911	21582	34335	10307 875
44	0.48891	89642	64296	12993	32097	95414 684
45	0.48915	92349	50017	70447	06168	21886 427
46	0.48938	93064	27971	83932	49874	31926 913
47	0.48960	98146	65161	56787	58628	00582 357
48	0.48982	13438	27340	37679	20732	35703 289
49	0.49002	44314	48343	03446	74056	99209 492
50	0.49021	95729	92455	97875	58026	00478 129
51	0.49040	72258	91382	03523	82899	45912 914
52	0.49058	78131	25065	55214	68968	71609 940
53	0.49076	17264	05400	11136	70388	20238 972
54	0.49092	93290	13270	60377	57892	02336 390
55	0.49109	09583	32186	24858	13994	32065 710
56	0.49124	69281	15700	19946	70135	96737 505
57	0.49139	75305	20689	44546	38708	92420 648
58	0.49154	30379	34226	86647	94221	18373 214
59	0.49168	37046	18085	72057	23591	06860 171
60	0.49181	97681	91769	07838	44404	20173 562
61	0.49195	14509	72265	19454	82087	07682 047
62	0.49207	89611	86422	20282	34064	97036 355
63	0.49220	24940	69851	93943	75036	02926 046
64	0.49232	22328	64563	35927	70818	59899 974
65	0.49243	83497	26049	41901	44856	98128 325
66	0.49255	10065	49272	76993	20455	32162 329
67	0.49266	03557	21886	04523	14733	55300 786
68	0.49276	65408	12057	48683	49004	79145 911
69	0.49286	96971	97431	51784	24471	26155 638
70	0.49296	99526	41019	20170	91141	41040 111

Table 3
 $\Pi_{s-\frac{1}{2}}(s)$ to 33 Decimal Places for $s = 1(1)71$

s	$\Pi_{s-\frac{1}{2}}(s)$					
1	0.46439	87801	10529	21148	64127	73365 386
2	0.48424	80053	44947	67937	29726	32292 120
3	0.49087	30296	38979	07642	45235	04173 670
4	0.49398	85363	92239	01453	00994	48869 239
5	0.49572	33324	48920	85537	12366	64053 029
6	0.49679	47886	15819	54316	36416	69197 452
7	0.49750	52270	03106	99601	10046	17630 344
8	0.49800	14446	31123	26927	98453	34966 981
9	0.49836	21570	28137	99771	19016	58746 508
10	0.49863	28138	03644	73606	38642	16782 570
11	0.49884	12116	85596	39534	34785	40715 600
12	0.49900	51547	62134	12056	88009	00788 931
13	0.49913	64882	01260	58485	35601	15015 965
14	0.49924	33475	37418	69430	30633	95638 212
15	0.49933	14738	85750	17473	27293	78808 624
16	0.49940	50143	99905	11996	79833	34095 384
17	0.49946	70264	32708	95306	60942	80225 239
18	0.49951	98046	53157	54378	24768	28927 182
19	0.49956	50988	86103	09805	35132	94687 984
20	0.49960	42625	53474	09387	26671	79097 329
21	0.49963	83559	17424	83755	25976	13246 912
22	0.49966	82192	17247	77618	48705	97081 329
23	0.49969	45253	43631	66507	53765	30561 924
24	0.49971	78183	48884	59791	01633	29832 215
25	0.49973	85419	89293	30795	33044	43559 185
26	0.49975	70611	45911	86682	60539	39809 260
27	0.49977	36780	86444	83369	48642	53883 095
28	0.49978	86449	42142	47239	13359	21652 735
29	0.49980	21733	74928	60369	01629	14914 231
30	0.49981	44421	35914	38385	13033	54434 936
31	0.49982	56030	25430	27328	76949	57928 664
32	0.49983	57856	29849	74294	27717	86078 305
33	0.49984	51011	14126	15350	94778	58322 224
34	0.49985	36452	79353	15993	50795	66463 580
35	0.49986	15010	43841	21458	81475	15160 331
36	0.49986	87404	68740	95419	10800	05413 695
37	0.49987	54264	21374	14827	17133	55760 191
38	0.49988	16139	48519	17773	86187	85750 367
39	0.49988	73514	16076	38255	44685	45587 909
40	0.49989	26814	59477	08005	54745	26657 031
41	0.49989	76417	79938	04782	66204	99936 764
42	0.49990	22658	14501	95110	85926	54575 350
43	0.49990	65833	02230	89509	59557	60289 741
44	0.49991	06207	64555	90068	81062	17720 239
45	0.49991	44019	14347	20620	83706	91205 705
46	0.49991	79480	05546	96417	02895	40774 335
47	0.49992	12781	33037	03021	35346	76217 715
48	0.49992	44094	90678	39344	55475	82458 186
49	0.49992	73575	94062	23303	21789	80446 404
50	0.49993	01364	73383	92147	51037	24950 528
51	0.49993	27588	40935	04846	11209	25139 108
52	0.49993	52362	36931	53509	95680	41683 715
53	0.49993	75791	57024	37375	74221	98412 235
54	0.49993	97971	63496	91366	40213	05130 275
55	0.49994	18989	83417	94554	87538	45875 510
56	0.49994	38925	94576	47857	91840	67404 661
57	0.49994	57853	01418	78632	85479	96538 162
58	0.49994	75838	02130	40917	60362	19186 319
59	0.49994	92942	48046	80625	89199	71819 097
60	0.49995	09222	96379	36657	54310	24568 052
61	0.49995	24731	57102	94029	43505	06524 427
62	0.49995	39516	34732	40518	23064	04210 548
63	0.49995	53621	65615	34170	13358	72388 211
64	0.49995	67088	51282	62697	02547	48987 892
65	0.49995	79954	88326	18655	70038	83413 573
66	0.49995	92255	95211	21582	27711	42973 588
67	0.49996	04024	36377	20653	07956	27398 308
68	0.49996	15290	43936	68646	08771	75837 380
69	0.49996	26082	37241	53326	44951	54305 790
70	0.49996	36426	40553	08617	87914	75764 784
71	0.49996	46346	99023	23743	19435	77420 785

Table 4
 $\Pi_{s+\frac{1}{2}}(s-\frac{1}{2})$ to 33 Decimal Places for $s = 1(1)70$

s	$\Pi_{s+\frac{1}{2}}(s-\frac{1}{2})$						
1	0.10774	57844	36528	87387	36082	44177	514
2	0.24322	51825	15757	05059	82026	92281	448
3	0.30936	90228	82790	94554	18360	46675	232
4	0.34831	48246	49018	73101	32202	20058	045
5	0.37399	28629	89273	53744	36459	82377	857
6	0.39220	84348	03946	10913	88936	44863	643
7	0.40580	81098	17206	21862	49678	34524	636
8	0.41636	23183	15238	88033	33275	24903	437
9	0.42476	85160	11057	70994	13242	44573	794
10	0.43184	28404	28206	01547	33382	00689	159
11	0.43736	40340	89911	40164	77519	75813	080
12	0.44220	01509	53753	70166	95576	44448	657
13	0.44634	20587	73310	76921	13093	87240	670
14	0.44992	93760	72970	48027	53354	41207	922
15	0.45306	66032	12299	83840	16606	92377	029
16	0.45583	36180	02506	87743	87820	94983	515
17	0.45829	20829	91043	80560	81240	76365	511
18	0.46049	11583	12614	63558	29030	31573	883
19	0.46246	97929	11366	77112	66265	12534	579
20	0.46425	95706	93333	92037	40566	60012	551
21	0.46588	63138	75697	38493	45830	19396	485
22	0.46737	13401	04616	96321	82030	41707	220
23	0.46873	24040	67497	07743	05749	05869	881
24	0.46998	44123	02688	90789	74381	97618	639
25	0.47113	99725	00820	24680	02687	52344	896
26	0.47220	98203	59052	63741	71874	00540	037
27	0.47320	31547	01015	40597	28675	87469	187
28	0.47412	79030	73480	89766	81474	18937	819
29	0.47499	09340	88754	80327	66992	70378	157
30	0.47579	82285	70566	70903	19928	79939	186
31	0.47655	50185	38189	61001	37942	43515	780
32	0.47726	59008	67383	04096	06351	70991	933
33	0.47793	49308	53583	32301	28519	13769	985
34	0.47856	56997	05511	22408	90106	04726	614
35	0.47916	13991	00181	04776	43048	01593	123
36	0.47972	48752	51864	61562	14318	05053	575
37	0.48025	86744	30178	49167	72007	54996	082
38	0.48076	50814	64731	83030	32235	04444	640
39	0.48124	61524	65714	54710	78996	56428	682
40	0.48170	37427	49502	64685	88718	23881	552
41	0.48213	95307	69644	35166	20425	50335	053
42	0.48255	50387	04446	07835	56052	37886	143
43	0.48295	16502	33791	62253	20277	38679	000
44	0.48333	06259	42998	08396	62318	34489	246
45	0.48369	31167	15264	93029	84131	38752	885
46	0.48404	01754	12647	87166	63584	29834	344
47	0.48437	27670	95435	75977	38260	96667	703
48	0.48469	17779	88961	46463	46395	01561	213
49	0.48499	80233	73392	69552	00375	68955	001
50	0.48529	22545	44480	41090	91954	31373	090
51	0.48557	51649	70451	44846	45101	57526	790
52	0.48584	73957	51315	74855	27241	82010	362
53	0.48610	95404	71098	59618	54678	83115	679
54	0.48636	21495	20330	09785	59939	44464	925
55	0.48660	57339	55066	07824	28985	45065	461
56	0.48684	07689	49404	34683	47717	62504	066
57	0.48706	76968	90596	17359	79530	29621	471
58	0.48728	69301	59189	46187	17428	18805	452
59	0.48749	88536	30977	18509	97951	79553	519
60	0.48770	38269	32697	99519	49007	30863	827
61	0.48790	21864	79310	50434	68008	89492	924
62	0.48809	42473	17127	17592	49280	20601	531
63	0.48828	03047	94055	78864	19403	38693	298
64	0.48846	06360	75579	44169	75256	12707	723
65	0.48863	55015	22846	20927	44027	09771	810
66	0.48880	51459	47283	48278	83818	35552	469
67	0.48896	97997	54455	04824	60023	15484	300
68	0.48912	96799	88403	45724	26921	08636	793
69	0.48928	49912	86434	59659	41808	67765	001
70	0.48943	59267	53178	78644	13929	73556	330

B L A N K P A G E

APPENDIX C

VALUES OF $\Omega_{s+\frac{1}{2}}(s)$, $\Omega_{s-\frac{1}{2}}(s)$, $\Omega_{s+\frac{1}{2}}(s-\frac{1}{2})$, AND $\Omega_{s-\frac{1}{2}}(s-\frac{1}{2})$

Table 5
 $\Omega_{s+\frac{1}{2}}(s)$ to 33 Decimal Places for $s = 1(1)70$

s	$\Omega_{s+\frac{1}{2}}(s)$						
1	0.35706	74799	26313	85900	90581	51089	743
2	0.41260	15957	24041	85650	16218	94166	305
3	0.43639	45460	23732	22020	75512	82136	854
4	0.44978	79676	51343	09819	54671	56560	676
5	0.45843	33341	37344	67693	52393	96315	428
6	0.46449	71182	00781	96015	66384	59202	352
7	0.46899	51214	63766	80372	30623	56878	346
8	0.47246	92285	82472	21714	83808	61207	547
9	0.47523	58512	36500	84427	29352	70661	203
10	0.47749	25582	82243	10851	06055	07826	124
11	0.47936	92757	78994	75228	01509	61054	644
12	0.48095	50514	28351	24425	39511	35242	626
13	0.48231	30113	61749	06643	73124	81836	478
14	0.48348	91816	88009	53653	49732	73176	898
15	0.48451	79284	97661	12122	63909	23733	590
16	0.48542	54405	81910	18669	77131	30574	173
17	0.48623	20314	65368	44559	29370	59724	053
18	0.48695	37035	80711	57902	24549	77260	039
19	0.48760	32369	82771	34035	81152	51329	656
20	0.48819	09633	62464	29866	08125	08197	728
21	0.48872	53267	78329	22843	69976	80084	411
22	0.48921	32967	65357	72995	25709	71742	700
23	0.48966	06773	23254	11503	26102	04130	883
24	0.49007	23412	09255	90408	80032	68735	789
25	0.49045	24098	14418	32553	59760	35726	290
26	0.49080	43928	37973	26273	67017	94904	122
27	0.49113	12978	78763	25419	04969	14369	325
28	0.49143	57172	49824	93940	50033	05042	927
29	0.49171	98973	60239	67772	83144	22626	688
30	0.49198	57946	20412	08145	77344	05473	834
31	0.49223	51208	32116	23898	67128	98546	395
32	0.49246	93803	02917	17617	94247	02938	284
33	0.49268	99003	95039	90848	32009	15682	586
34	0.49289	78568	26144	71194	80375	28702	559
35	0.49309	42947	45508	66167	36573	79419	392
36	0.49328	01463	86995	22326	35923	23427	589
37	0.49345	62459	30910	84037	19094	88983	278
38	0.49362	33420	76786	26612	81165	23155	482
39	0.49378	21087	28430	91342	72335	87900	546
40	0.49393	31541	14096	71105	63214	55153	550
41	0.49407	70286	02952	77202	67122	77170	907
42	0.49421	42314	30374	54243	38613	76654	949
43	0.49434	52165	05840	72438	79058	00173	359
44	0.49447	03974	46281	80605	11983	46523	809
45	0.49459	01519	52843	42243	12817	33972	380
46	0.49470	48256	28921	28275	62727	12352	271
47	0.49481	47353	20994	93852	55551	62479	314
48	0.49492	01720	50462	62091	98704	33855	816
49	0.49502	14035	93756	57740	24894	94103	560
50	0.49511	86767	59025	82032	16794	80247	002
51	0.49521	22194	00239	07822	29676	27532	145
52	0.49530	22422	03390	47952	04278	44427	559
53	0.49538	89402	74349	68581	04041	77273	861
54	0.49547	24945	53599	38829	61990	73815	874
55	0.49555	30730	79495	72963	63700	62645	891
56	0.49563	08321	18649	86193	92157	91598	920
57	0.49570	59171	79463	11616	12654	64301	300
58	0.49577	84639	22674	12423	57247	74140	060
59	0.49584	85989	80928	37698	69533	05255	013
60	0.49591	64406	97805	58686	73411	32659	783
61	0.49598	20997	95393	83157	79612	86211	544
62	0.49604	56799	78345	45405	91520	47023	136
63	0.49610	72784	81358	00744	59187	40780	200
64	0.49616	69865	66169	17633	95921	87050	774
65	0.49622	48899	73416	76143	19808	79055	233
66	0.49628	10693	34076	08655	18361	58853	301
67	0.49633	56005	44632	99499	90621	17989	828
68	0.49638	85551	09668	69081	25598	83840	265
69	0.49644	00004	55112	72237	05012	13710	798
70	0.49649	00002	15053	67329	76538	53850	589

Table 6
 $\Omega_{s-\frac{1}{2}}(s)$ to 33 Decimal Places for $s = 1(1)71$

s	$\Omega_{s-\frac{1}{2}}(s)$						
1	0.38094	90365	05182	31125	84084	80584	405
2	0.42087	15664	01657	91315	48831	90740	935
3	0.44028	85258	71415	95895	50423	33651	027
4	0.45194	66457	35447	22071	38133	11063	616
5	0.45975	96689	19334	85525	44196	29989	497
6	0.46537	22725	25789	29383	31851	26420	072
7	0.46960	37438	57229	11502	55752	09167	216
8	0.47290	99769	72621	81602	47079	65587	118
9	0.47556	54699	96385	20403	59274	86886	700
10	0.47774	56212	09021	92139	77556	88457	465
11	0.47956	78493	96015	59019	88032	91471	999
12	0.48111	37687	75968	36957	15191	24946	706
13	0.48244	18926	66516	60407	22432	34376	166
14	0.48359	52787	16618	02183	07341	12019	849
15	0.48460	63224	30966	09021	04564	67647	222
16	0.48549	98687	85039	93164	92992	50489	894
17	0.48629	52931	02886	10874	03385	02572	528
18	0.48700	79290	74069	02121	89607	46565	690
19	0.48765	00712	07156	86338	44724	56849	820
20	0.48823	16927	91874	03352	14697	95326	101
21	0.48876	09693	75279	16178	49424	34872	527
22	0.48924	46666	00258	93766	66296	82391	012
23	0.48968	84317	35399	21648	09377	65449	251
24	0.49009	70157	03706	77614	90349	45135	364
25	0.49047	44442	11657	34966	10591	35224	742
26	0.49082	41510	97160	11895	31759	23936	260
27	0.49114	90832	86459	50990	72524	81167	680
28	0.49145	17841	73211	98027	19537	92499	992
29	0.49173	44604	25615	17744	06002	16384	265
30	0.49199	90359	42358	82016	29630	01629	384
31	0.49224	71957	52793	37482	39202	02959	974
32	0.49248	04219	82525	94197	50253	28716	825
33	0.49270	00235	09089	39551	76358	71382	057
34	0.49290	71605	62858	21645	50412	22361	863
35	0.49310	28652	50850	64651	90394	75229	230
36	0.49328	80587	70719	55477	54339	51769	357
37	0.49346	35659	21485	73556	16964	37483	347
38	0.49363	01273	93746	11621	23758	61902	861
39	0.49378	84102	26002	60075	67930	07165	970
40	0.49393	90167	38668	82860	61206	44781	144
41	0.49408	24921	98243	17216	45712	51803	731
42	0.49421	93314	17376	73459	10506	76176	781
43	0.49434	99844	59328	78810	04501	79032	385
44	0.49447	48615	85481	31322	79053	61271	669
45	0.49459	43375	60573	45674	25125	64351	832
46	0.49470	87554	10884	57670	89546	86621	771
47	0.49481	84297	14790	94625	75209	15482	169
48	0.49492	36494	92208	50571	69906	65241	865
49	0.49502	46807	48836	33073	74812	67568	773
50	0.49512	17687	22380	53854	33606	26482	911
51	0.49521	51398	70709	31009	35672	98323	825
52	0.49530	50036	35883	49014	83093	41529	267
53	0.49539	15540	12998	22562	52184	31750	661
54	0.49547	49709	48578	66492	18613	24580	245
55	0.49555	54215	89751	57811	39576	08720	853
56	0.49563	30614	02447	52267	65405	03851	233
57	0.49570	80351	74379	70375	74136	19547	145
58	0.49578	04779	16418	47739	73481	71117	811
59	0.49585	05156	74171	19278	05994	38274	241
60	0.49591	82662	60033	82070	43107	57008	342
61	0.49598	38399	14660	81089	69645	16761	408
62	0.49604	73399	05667	54316	87565	49431	810
63	0.49610	88630	70406	31990	92298	21996	887
64	0.49616	85003	08817	76052	14340	61930	442
65	0.49622	63370	31634	41454	53663	57344	697
66	0.49628	24535	68585	44243	15307	25587	801
67	0.49633	69255	40706	09034	51410	66907	508
68	0.49638	98242	00381	43894	39806	29727	866
69	0.49644	12167	42340	44188	47836	99533	578
70	0.49649	11665	88455	05314	89935	27761	826
71	0.49653	97336	48883	03848	22493	30222	813

Table 7
 $\Omega_{s+\frac{1}{2}}(s-\frac{1}{2})$ to 33 Decimal Places for $s = 1(1)70$

s	$\Omega_{s+\frac{1}{2}}(s-\frac{1}{2})$						
1	0.24392	23488	71790	51540	71859	45988	980
2	0.37138	03365	91535	18854	89218	37340	105
3	0.41474	20232	48063	40592	53097	96152	739
4	0.43637	75166	27196	12860	63380	23145	432
5	0.44929	15433	13196	00627	92476	42788	078
6	0.45785	82282	15869	26273	56681	33936	398
7	0.46395	17601	67391	07167	32804	49924	146
8	0.46850	63528	91987	69945	97220	43522	058
9	0.47203	90163	04972	25225	38015	05352	807
10	0.47485	87672	01491	61866	60531	37422	919
11	0.47716	15516	41086	24720	38422	98913	848
12	0.47907	75808	02990	32725	28224	54639	486
13	0.48069	67435	74966	36738	64515	67556	343
14	0.48208	30843	16534	03643	72189	25729	208
15	0.48328	34643	08572	83194	01386	91684	050
16	0.48433	29603	82061	49758	98784	89913	958
17	0.48525	83492	99305	56353	89676	84688	271
18	0.48608	04252	55366	83431	93452	99632	353
19	0.48681	55821	44125	39366	60361	51308	429
20	0.48747	69189	75470	86435	31093	48149	170
21	0.48807	50280	44774	86838	88197	05145	916
22	0.48861	85672	07902	36780	30096	83719	674
23	0.48911	46822	32712	29503	79777	37943	741
24	0.48956	93231	27341	33179	70914	92593	261
25	0.48998	74842	46524	25414	39504	68223	419
26	0.49037	33887	74725	88033	96321	11532	197
27	0.49073	06320	59979	93872	57284	76117	514
28	0.49106	22941	22600	37467	60453	15248	196
29	0.49137	10288	05214	28157	63289	73678	863
30	0.49165	91350	32899	86404	71409	30992	145
31	0.49192	86142	36335	75359	86387	81408	339
32	0.49218	12169	74434	60846	89530	40557	081
33	0.49241	84810	54548	21958	42792	19280	206
34	0.49264	17629	05979	83651	89687	18552	885
35	0.49285	22635	60054	11493	56274	89175	317
36	0.49305	10502	88416	36874	33787	21451	061
37	0.49323	90747	23214	28612	49818	59572	692
38	0.49341	71881	08947	22902	72338	64546	008
39	0.49358	61542	02129	55010	30804	08513	031
40	0.49374	66602	31421	87094	30414	07301	466
41	0.49389	93262	50166	75949	86759	55159	918
42	0.49404	47131	49886	76957	67885	76461	657
43	0.49418	33295	53221	32537	38468	13686	828
44	0.49431	56377	64965	29267	03169	28695	517
45	0.49444	20589	28039	28271	21522	15235	066
46	0.49456	29775	05630	91499	98382	86086	558
47	0.49467	87451	90066	42020	21030	01390	083
48	0.49478	96843	22177	77480	66026	02502	433
49	0.49489	60908	91227	36755	39563	06516	712
50	0.49499	82371	74220	53472	28873	41532	209
51	0.49509	63740	64190	58048	46963	22118	425
52	0.49519	07331	29398	45832	76122	03166	743
53	0.49528	15284	39047	04381	07262	24998	865
54	0.49536	89581	85826	64928	36986	31760	341
55	0.49545	32061	31191	22533	26525	37757	062
56	0.49553	44428	95558	62825	12439	17292	394
57	0.49561	28271	12508	42755	35784	44534	617
58	0.49568	85064	63415	74703	60543	66468	798
59	0.49576	16186	06727	24865	73986	42151	544
60	0.49583	22920	14188	37106	10981	65534	919
61	0.49590	06467	24714	25420	44735	91557	146
62	0.49596	67950	25215	13482	68576	41440	577
63	0.49603	08420	66503	02010	63411	71267	705
64	0.49609	28864	21389	20650	85701	82425	452
65	0.49615	30205	91206	01788	29561	42213	114
66	0.49621	13314	66229	58967	07882	92263	670
67	0.49626	79007	44825	74185	94211	40128	981
68	0.49632	28053	15572	97620	54200	53280	577
69	0.49637	61176	06122	80982	30364	28010	039
70	0.49642	79059	02127	40575	58387	72562	731

Table 8
 $\Omega_{s-\frac{1}{2}}(s-\frac{1}{2})$ to 33 Decimal Places for $s = 1(1)70$

s	$\Omega_{s-\frac{1}{2}}(s-\frac{1}{2})$						
1	0.32323	72933	09586	82192	05247	32532	542
2	0.40537	52708	59595	08433	03378	20469	080
3	0.43311	66320	35907	32375	85704	63945	324
4	0.44783	33459	77309	79701	69974	25788	915
5	0.45710	23880	98000	99020	89006	45128	492
6	0.46351	90593	13754	49261	86923	71202	488
7	0.46824	01267	12161	02149	03475	01374	579
8	0.47186	59607	57270	73104	44378	61557	229
9	0.47474	12814	82946	85228	73623	90994	240
10	0.47707	89288	94332	96447	05316	95498	544
11	0.47901	77516	22283	91609	03950	21128	612
12	0.48065	23379	93210	54529	29974	39618	106
13	0.48204	94234	75175	63074	82141	38219	924
14	0.48325	74780	04301	62696	32973	25741	842
15	0.48431	25758	47630	64794	66028	09092	686
16	0.48524	21320	67184	74049	93486	81756	645
17	0.48606	73607	48076	76352	37679	59770	996
18	0.48680	49387	87621	18618	76403	47663	819
19	0.48746	81600	95764	97497	13090	26725	637
20	0.48806	77538	05812	58295	73416	16936	272
21	0.48861	24755	28170	42810	21236	54488	997
22	0.48910	95419	69947	98476	32357	41321	509
23	0.48956	49553	59385	83642	74893	46130	764
24	0.48998	37489	96420	35078	66908	86879	006
25	0.49037	01754	60037	39973	08919	66726	320
26	0.49072	78525	29995	87810	02143	57423	960
27	0.49105	98775	19921	64770	79627	79449	157
28	0.49136	89177	30698	38485	60800	52353	740
29	0.49165	72826	53272	51567	23729	28987	917
30	0.49192	69820	81433	37713	47722	99598	142
31	0.49217	97732	44359	76116	17874	97401	543
32	0.49241	71993	07617	42321	33537	47848	820
33	0.49264	06210	33693	57910	55550	49578	292
34	0.49285	12429	80302	60391	25631	60091	588
35	0.49305	01353	05983	39697	48643	61059	590
36	0.49323	82520	19522	77380	79510	10829	732
37	0.49341	64463	32375	16268	20555	70201	454
38	0.49358	54836	37124	67911	13094	64563	164
39	0.49374	60525	29759	80079	90139	33219	038
40	0.49389	87742	11515	37209	58052	87777	287
41	0.49404	42105	41734	33565	36979	21948	265
42	0.49418	28709	62384	53807	50174	12293	038
43	0.49431	52184	74586	71953	27813	32530	271
44	0.49444	16748	15250	91348	26969	34132	677
45	0.49456	26249	56057	40064	21977	03679	680
46	0.49467	84210	26112	66005	46300	43676	857
47	0.49478	93857	42649	43202	70266	57886	363
48	0.49489	58154	20308	02178	48424	38436	186
49	0.49499	79826	18204	91604	62239	10582	939
50	0.49509	61384	74671	93436	19064	50188	708
51	0.49519	05147	71846	52665	19262	00250	093
52	0.49528	13257	65904	40386	44275	64185	321
53	0.49536	87698	13405	23611	28101	28508	358
54	0.49545	30308	19775	52024	58256	06978	288
55	0.49553	42795	32223	25399	04746	65158	406
56	0.49561	26746	96240	46119	21550	37504	139
57	0.49568	83640	92199	64569	70318	44305	036
58	0.49576	14854	66305	80033	90774	76523	808
59	0.49583	21673	68258	84638	35523	62109	989
60	0.49590	05299	06356	78503	01091	46508	597
61	0.49596	66854	29381	75235	25331	35600	245
62	0.49603	07391	43421	92675	29756	30692	613
63	0.49609	27896	70760	68126	02113	84112	391
64	0.49615	29295	57084	62975	57543	62514	144
65	0.49621	12457	32502	73965	07500	38605	481
66	0.49626	78199	31211	47489	20212	52889	148
67	0.49632	27290	74070	91363	31602	45040	455
68	0.49637	60456	17861	28623	88801	39875	857
69	0.49642	78378	74557	72939	11762	08900	257
70	0.49647	81703	03584	23660	60173	32888	076

B L A N K P A G E

APPENDIX D

VALUES OF THE FRESNEL INTEGRALS $S_2(x)$, $C_2(x)$, $S(x)$, AND $C(x)$

Table 9
 $S_2(x)$ to 28 Decimal Places for $x = 1(1)70$

x	$S_2(x)$					
1	0.24755	82876	51610	84260	99050	144
2	0.56284	89062	30056	47929	80811	091
3	0.71168	50216	07530	03251	62245	900
4	0.64211	87357	44514	69533	18002	859
5	0.46594	14967	66258	53239	02386	006
6	0.34985	23653	53978	11417	86162	438
7	0.38119	44739	44967	60991	63048	088
8	0.51200	96184	67464	11649	82642	631
9	0.61721	36970	24189	61244	00929	011
10	0.60843	62590	65110	89720	19547	955
11	0.50478	63386	47342	03809	68183	456
12	0.40581	10077	59143	22235	53644	027
13	0.39826	77211	08448	47737	84957	116
14	0.48176	94215	59744	45667	96895	665
15	0.57580	32698	07805	48219	77229	457
16	0.59612	65594	98017	19736	48629	640
17	0.52925	92129	08924	91400	19054	543
18	0.43998	93396	82881	69933	05126	288
19	0.40933	64957	30567	52374	19924	504
20	0.46164	57788	15957	76010	44402	616
21	0.54588	38021	13002	40369	03426	682
22	0.58493	89064	87810	39959	25854	993
23	0.54578	17221	88624	21912	35877	295
24	0.46702	84356	61254	99740	12891	612
25	0.42121	70480	22836	05724	64907	451
26	0.44830	00011	91069	73629	28809	124
27	0.52105	36692	33784	59264	68564	828
28	0.57214	20631	62520	77264	59409	563
29	0.55621	23973	19162	09274	77896	506
30	0.48996	86291	00923	19993	94160	139
31	0.43497	25874	60339	12318	21081	032
32	0.44060	47712	22625	03026	26065	462
33	0.49987	28381	15131	66742	07038	097
34	0.55748	94930	84749	63207	44223	545
35	0.56131	33650	04911	49641	16543	190
36	0.50941	67298	57160	52096	68003	820
37	0.45039	59263	07966	73341	50882	260
38	0.43797	07054	62434	94397	35566	333
39	0.48218	72763	36492	42823	11962	764
40	0.54146	35717	53990	76653	46122	669
41	0.56160	84504	15086	92834	37102	012
42	0.52528	21742	89865	59053	11247	283
43	0.46682	88117	93015	92018	95391	349
44	0.43987	77286	99008	64373	95784	992
45	0.46820	89680	25314	90768	70354	210
46	0.52483	65418	06007	76809	09045	621
47	0.55764	98008	25884	38939	19197	444
48	0.53730	91333	90219	36635	11992	529
49	0.48342	78283	38064	54076	26341	343
50	0.44572	17064	23986	86844	98133	357
51	0.45818	63426	86199	52226	53223	318
52	0.50849	05833	92445	31036	71419	089
53	0.55010	31159	32906	02708	32485	867
54	0.54529	15267	88878	36961	76398	576
55	0.49929	83294	66241	99614	21360	227
56	0.45477	28701	94827	08670	61660	020
57	0.45225	89692	98187	61020	75946	090
58	0.49331	04258	70790	46170	16743	778
59	0.53975	96898	54026	58435	74679	725
60	0.54917	28343	71156	41336	91662	885
61	0.51358	50973	71291	51284	15073	259
62	0.46618	46490	42827	48925	95156	654
63	0.45038	95102	37434	21969	85256	357
64	0.48010	44103	94744	09082	00212	337
65	0.52751	23621	55070	17331	76681	660
66	0.54909	05218	84463	34413	71882	741
67	0.52554	20559	11094	37262	06700	536
68	0.47902	89894	85267	50275	31239	347
69	0.45233	78517	17457	93249	73496	181
70	0.46954	28510	17320	62465	64952	910

Table 10
 $C_2(x)$ to 28 Decimal Places for $x = 1(1)70$

x	$C_2(x)$					
1	0.72170	59242	92605	08777	15858	156
2	0.75330	23754	67891	16558	21899	711
3	0.56102	03289	78138	66929	91502	047
4	0.36819	29762	80974	79631	06624	017
5	0.32845	66248	67552	60617	66040	539
6	0.44327	38563	37623	33740	30799	535
7	0.59011	60610	93977	28750	27047	081
8	0.63930	12479	30604	90750	78986	021
9	0.56080	39810	63954	86486	90870	450
10	0.43696	39527	29382	03550	07688	183
11	0.38039	18718	58184	33069	19940	790
12	0.43455	73415	13101	06382	98818	020
13	0.54251	04114	00767	86698	45105	819
14	0.60472	09589	34283	43617	62030	143
15	0.56933	60588	83420	11025	14977	264
16	0.47431	07173	20327	99317	30365	277
17	0.40798	54159	55980	92358	30735	035
18	0.42783	71578	92569	44281	65610	037
19	0.51133	18949	15923	94675	18493	394
20	0.58038	89720	04910	94064	51525	069
21	0.57384	06247	62014	25706	02197	786
22	0.50116	67664	65156	16986	40365	593
23	0.43066	21163	53179	33670	43223	754
24	0.42563	49063	11197	51548	13703	732
25	0.48787	98923	51789	83957	93421	219
26	0.55862	83863	27546	46744	83741	890
27	0.57376	57770	37074	23404	53464	846
28	0.52169	49544	74128	78657	84831	103
29	0.45183	15477	50914	35713	16176	407
30	0.42790	80908	40306	14524	17381	495
31	0.47001	91383	09000	47664	25911	705
32	0.53794	44618	53456	89560	93373	956
33	0.56940	72903	39672	13076	90869	300
34	0.53702	65412	69461	25664	37707	963
35	0.47201	16032	70986	94618	12969	742
36	0.43421	19897	83205	15912	46474	578
37	0.45713	95302	72218	30841	58459	369
38	0.51835	89847	44665	75610	03439	870
39	0.56132	10368	23016	28421	80192	047
40	0.54750	32143	63865	06819	29762	110
41	0.49087	00405	95054	71618	94969	793
42	0.44389	70230	92958	08432	69774	941
43	0.44902	49039	25601	05219	36799	969
44	0.50038	22120	28141	13522	09821	414
45	0.55023	87665	70790	24448	70103	605
46	0.55330	10449	49385	26102	17100	530
47	0.50780	17801	24741	49054	92799	134
48	0.45615	97793	41237	37822	41076	172
49	0.44548	63431	58052	45336	22627	428
50	0.48465	78973	19108	24740	37663	118
51	0.53702	44360	46413	29862	68174	358
52	0.55465	50271	56142	18161	73739	417
53	0.52216	45976	31517	94804	81338	592
54	0.47008	79288	91381	21654	77886	721
55	0.44622	22922	92059	24194	99293	190
56	0.47179	66342	84999	33138	70715	460
57	0.52262	55347	21282	33912	91202	494
58	0.55194	50050	09827	38847	56842	734
59	0.53340	27306	60555	39477	20239	399
60	0.48471	28776	40926	32055	56984	179
61	0.45076	92343	06427	85096	69328	634
62	0.46228	12441	60707	11789	76822	269
63	0.50801	71379	34074	63602	11897	379
64	0.54571	87525	01344	78406	81929	904
65	0.54112	03685	03845	46865	95484	807
66	0.49906	79604	75024	56442	92846	118
67	0.45849	83107	20878	14222	99509	401
68	0.45640	98730	80451	48931	43025	168
69	0.49414	26457	28350	82197	34184	535
70	0.53668	00384	69336	38967	16854	139

Table 11
S(x) and C(x) to 28 Decimal Places for $x = 1(1)6$

x	S(x)						
1	0.43825	91473	90354	76607	67566	966	
2	0.34341	56783	63698	24219	53008	160	
3	0.49631	29989	67375	03609	76122	653	
4	0.42051	57542	46928	42444	53431	407	
5	0.49919	13819	17116	88675	19283	805	
6	0.44696	07612	36930	27762	39202	878	

x	C(x)						
1	0.77989	34003	76822	82947	42064	137	
2	0.48825	34060	75340	75450	02235	034	
3	0.60572	07892	97685	62955	61610	743	
4	0.49842	60330	38177	61553	07095	868	
5	0.56363	11887	04012	23110	21074	044	
6	0.49953	14678	55501	12018	82799	033	

B L A N K P A G E

APPENDIX E

VALUES OF THE ROCKET FUNCTIONS $rr(x)$ AND $ri(x)$

Table 12
rr(x) to 28 Decimal Places for x = 1(1)70

x	rr(x)				
1	0.80952	54817	47408	84437	07957 597
2	0.64290	39596	19896	52163	18463 093
3	0.54689	05730	71946	22244	14808 288
4	0.48289	41401	75925	91510	32300 344
5	0.43864	99085	67707	70674	44352 480
6	0.40110	42924	03641	95840	07503 263
7	0.37291	81029	36842	08094	75218 618
8	0.34984	06791	01947	67584	61958 551
9	0.33051	22229	54062	42492	68511 661
10	0.31402	71771	57729	61278	61320 242
11	0.29975	70820	42102	17696	53920 582
12	0.28725	08576	48330	44498	57282 972
13	0.27617	55473	28321	18721	75088 888
14	0.26627	94996	08486	15680	27268 433
15	0.25736	86190	92354	95019	46576 842
16	0.24929	05505	03437	93323	20925 053
17	0.24192	38515	20391	99022	67697 142
18	0.23517	04003	37679	35184	51200 161
19	0.22894	99575	48894	48288	10150 742
20	0.22319	61971	37070	16879	81356 583
21	0.21785	37606	00010	25964	92287 313
22	0.21287	60371	75852	92268	15848 830
23	0.20822	34681	93205	78971	87397 061
24	0.20386	22356	16878	45084	78548 812
25	0.19976	32361	88183	50051	62472 303
26	0.19590	12705	98034	55402	41557 422
27	0.19225	43964	77024	92595	62592 194
28	0.18880	34075	41892	22591	69988 096
29	0.18553	14108	71212	15994	75441 831
30	0.18242	34812	19687	58435	72522 904
31	0.17946	63763	36949	14568	47297 488
32	0.17664	83009	75158	59792	77446 574
33	0.17395	87100	73327	39592	17352 162
34	0.17138	81436	38055	43971	34917 309
35	0.16892	80874	95268	21051	73220 011
36	0.16657	08552	45015	87165	56659 428
37	0.16430	94877	16058	08607	09497 297
38	0.16213	76669	37462	07898	74546 343
39	0.16004	96422	16125	84048	74788 081
40	0.15804	01663	59231	43665	31097 748
41	0.15610	44404	37900	09982	07432 153
42	0.15423	80657	73633	21337	62754 006
43	0.15243	70020	58290	33190	87645 769
44	0.15069	75307	03436	49178	60596 825
45	0.14901	62226	65148	18466	26453 352
46	0.14738	99101	12959	77852	53307 175
47	0.14581	56614	12127	94302	46490 700
48	0.14429	07589	71146	68689	98650 358
49	0.14281	26795	74886	68418	75334 633
50	0.14137	90768	80569	84625	30258 220
51	0.13998	77658	01178	04148	15122 773
52	0.13863	67085	40554	53701	05843 250
53	0.13732	40020	77769	44800	47469 281
54	0.13604	78669	26399	85154	92903 086
55	0.13480	66370	18122	94555	79616 398
56	0.13359	87505	80169	83365	24961 205
57	0.13242	27418	93336	64764	12989 654
58	0.13127	72338	31889	17658	44409 687
59	0.13016	09310	99280	29348	56438 095
60	0.12907	26140	83959	17500	54573 581
61	0.12801	11332	70213	33328	58621 229
62	0.12697	54041	44177	95726	67986 712
63	0.12596	44025	45563	01319	99743 327
64	0.12497	71604	18846	71724	11699 542
65	0.12401	27619	24298	34381	73472 286
66	0.12307	03398	73336	56796	05047 184
67	0.12214	90724	56746	71886	19448 497
68	0.12124	81802	37751	84822	31142 085
69	0.12036	69233	84976	57388	67198 257
70	0.11950	45991	23017	21488	40045 180

Table 13
ri(x) to 28 Decimal Places for x = 1(1)70

x	ri(x)				
1	0.23219	93900	55264	60574	32063 867
2	0.12097	64818	07033	76319	32619 889
3	0.07654	40951	56604	86935	00467 648
4	0.05364	43366	69216	54762	87781 247
5	0.04010	81659	38640	71691	64789 012
6	0.03138	58945	10539	82203	24798 036
7	0.02535	43867	30896	71710	79174 939
8	0.02102	18912	00551	89748	68998 336
9	0.01778	31668	47962	82735	91670 314
10	0.01529	00854	25036	00877	38645 249
11	0.01332	43365	91499	17457	61557 560
12	0.01174	30120	94976	02196	06721 501
13	0.01044	91661	38869	68480	06791 008
14	0.00937	50215	82057	73966	09740 590
15	0.00847	19555	30599	12141	48528 570
16	0.00770	42979	62835	39589	78126 643
17	0.00704	53645	75548	69409	60608 032
18	0.00647	48459	02052	99440	11483 316
19	0.00597	70456	00652	50357	70984 290
20	0.00553	96651	12159	64306	97010 495
21	0.00515	29484	86711	51256	62336 537
22	0.00480	90698	45615	00389	37531 232
23	0.00450	16875	25886	43017	85235 385
24	0.00422	56147	75816	70614	14433 044
25	0.00397	65732	71078	51524	20173 669
26	0.00375	10063	55584	34383	42606 690
27	0.00364	59359	37727	93299	97118 753
28	0.00335	88516	95676	39523	62244 224
29	0.00318	76244	70800	50126	07121 050
30	0.00303	04379	63450	60117	35635 536
31	0.00288	57344	15269	02436	80011 621
32	0.00275	21710	78964	41265	99089 467
33	0.00262	85850	80166	39797	67459 812
34	0.00251	39648	60739	26650	48462 783
35	0.00240	74268	22774	33442	11591 576
36	0.00230	81961	11490	53443	06685 630
37	0.00221	55907	14171	90649	95644 755
38	0.00212	90082	32701	53703	50956 577
39	0.00204	79148	24618	58491	69121 772
40	0.00197	18359	13000	18740	18204 905
41	0.00190	03483	46884	33321	61681 161
42	0.00183	30737	57279	46267	50897 461
43	0.00176	96729	03386	68334	15827 008
44	0.00170	98408	42714	24438	78159 178
45	0.00165	33027	89705	58024	95137 415
46	0.00159	98105	52153	01146	71717 223
47	0.00154	91394	54412	13999	62443 381
48	0.00150	10856	72324	17712	56830 415
49	0.00145	54639	17607	77796	39517 133
50	0.00141	21054	19927	18873	23382 883
51	0.00137	08561	63368	71105	00295 887
52	0.00133	15753	41045	10417	93328 650
53	0.00129	41339	97298	19851	31088 522
54	0.00125	84138	31721	13788	05594 289
55	0.00122	43061	43161	75861	01017 747
56	0.00119	17108	95147	89385	23530 276
57	0.00116	05358	86914	16756	03474 849
58	0.00113	06960	16504	85105	31597 835
59	0.00110	21126	24356	69779	18134 425
60	0.00107	47129	07392	65083	35755 750
61	0.00104	84293	95033	43229	51151 260
62	0.00102	31994	79701	32542	07556 470
63	0.00099	89649	95383	40262	07899 511
64	0.00097	56718	38668	36445	91560 357
65	0.00095	32696	27395	40067	82002 398
66	0.00093	17113	92674	39900	89940 650
67	0.00091	09533	00570	45784	89916 892
68	0.00089	09544	00205	36340	17718 375
69	0.00087	16763	95425	62288	75451 465
70	0.00085	30834	37530	13937	73609 078

REFERENCES

1. Fresnel, A.J., *Memoires de l'Academie des Sciences*, Vol. 5 (for 1821-22), pp.339-475, Paris (1826) (Reproduced in A.J. Fresnel, "Oeuvres," Vol. 1, Paris, 1866, pp.247-382.)
2. Fletcher, A., et al., "An Index of Mathematical Tables," Addison-Wesley Publishing Co., Reading, Massachusetts, Second Edition (1962).
3. Wijngaarden, A. and Scheen, W.L., "Table of Fresnel Integrals," *Verhandelingen der Koninklijke Nederlandse Akademie van Wetenschappen, Afdeling Natuurkunde, Eerste Sectie*, Vol. 19 (4), Amsterdam (1949).
4. "Tablitsy Integralov Frenelya" ("Tables of Fresnel Integrals"), Akademiia Nauk SSSR, Moscow (1953).
5. Pearcey, T., "Table of the Fresnel Integral to Six Decimal Places," Cambridge University Press, Cambridge (1956).
6. "Handbook of Mathematical Functions with Formulas, Graphs, and Mathematical Tables," National Bureau of Standards Applied Mathematics Series, 55, U.S. Government Printing Office, Washington, D.C. (1964).
7. Wrench, J.W., Jr. and Alley, V., "The Converging Factors for the Sine and Cosine Integrals," Naval Ship Research and Development Center, Report 3980 (Sept 1972).
8. Dingle, R.B., "Asymptotic Expansions and Converging Factors II. Error, Dawson, Fresnel, Exponential, Sine and Cosine, and Similar Integrals," *Proceedings of the Royal Society of London, Ser. A*, Vol. 244, pp.476-483 (1958).
9. Rosser, J.B., et al., "Mathematical Theory of Rocket Flight," McGraw-Hill Book Company, New York (1947).

INITIAL DISTRIBUTION

Copies

2	U.S. Army Math Res Center Univ of Wisconsin, Madison 1 Prof J.B. Rosser 1 Tech Lib	1	AEC Tech Lib
2	CHONR 1 Dr. L.D. Bram 1 Dr. R.J. Lundegard	3	BUSTAND 1 Dr. F.W.J. Oliver 1 Ms J.A. Stegun 1 Tech Lib
1	DNL	1	Argonne National Lab Applied Math Division
2	USNA 1 Dept of Math 1 Tech Lib	1	Harvard University Computation Lab
1	NAVPGSCOL Lib	1	Kent Status Univ. Dept of Math Prof R.S. Varga
1	NROTC & NAVADMINU, MIT	1	Los Alamos Sci Lab Tech Lib
1	NAVWARCOL	3	Univ of Maryland 1 Computation Lab 1 Prof J.L. Walsh 1 Inst for Fluid Dynamics & Applied Math
1	NRL Tech Lib	1	Univ of Missouri-Kansas City Prof Y.L. Luke
1	NOL Tech Lib	1	New York Univ Courant Inst of Math Sci
3	NWL 1 Dr. A.V. Hershey, KXH 1 Dr. A.R. DiDonato, KXD 1 Tech Lib	1	Univ of Kentucky Dept of Computer Sci Prof H.C. Thacher, Jr.
1	NAVSHIPYD BREM	1	Penn State Univ Computer Sci Dept Prof P.C. Hammer
1	NAVSHIPYD BSN	1	Univ of Texas at Austin Num Analysis Ctr Prof D.M. Young, Jr.
1	NAVSHIPYD CHASN	1	Prof J.D. Murnaghan 6202 Sycamore Rd. Baltimore, Md. 21212
1	NAVSHIPYD MARE		
1	NAVSHIPYD NORVA		
1	NAVSHIPYD PEARL		
1	NAVSHIPYD PHILA		
1	NAVSHIPYD PTSMT		
1	Wright-Patterson AFB Aerospace Res Labs Applied Math Lab H.E. Fettis		
12	DDC		

CENTER DISTRIBUTION

Copies

1	18/1808/1809
1	1802.1
1	1802.2
1	1802.3
1	1802.4
1	1805
1	183
20	184
10	1842
1	1843
1	1844
1	185
1	186
1	188
1	189

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Naval Ship Research and Development Center Bethesda, Maryland 20034		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b. GROUP	
3. REPORT TITLE The Converging Factors for the Fresnel Integrals			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Final			
5. AUTHOR(S) (First name, middle initial, last name) John W. Wrench, Jr. Vicki Alley			
6. REPORT DATE June 1973		7a. TOTAL NO. OF PAGES	7b. NO. OF PAGES 9
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S) Report 4102	
b. PROJECT NO. SR 0140301, Task 15324			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. DISTRIBUTION STATEMENT APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Naval Ship Systems Command	
13. ABSTRACT The theory of the converging factors for the Fresnel integrals is developed from that of the converging factors for the sine and cosine integrals, and is then applied to the calculation on a CDC 6700 system of tables of these factors and their reduced derivatives to about 35 decimal places. The factors were used in conjunction with appropriately truncated asymptotic series to produce appended 28-place tables of the Fresnel integrals $S_2(x)$, $C_2(x)$ and of the closely related rocket functions $rr(x)$ and $ri(x)$, for successive integer values of x from 1 through 70. An abridged 28-place table of $S(x)$ and $C(x)$, for x ranging from 1 through 6, is also included.			

Security Classification

14

KEY WORDS

LINK A

LINK B

LINK C

ROLE

WT

[illegible]

WT

NAME	ROLE
Mr. J. Edgar Hoover	Director
Mr. Clegg	Chief of Bureau
Mr. Glavin	Chief of Bureau
Mr. Ladd	Chief of Bureau
Mr. Nichols	Chief of Bureau
Mr. Rosen	Chief of Bureau
Mr. Tracy	Chief of Bureau
Mr. Carson	Chief of Bureau
Mr. Egan	Chief of Bureau
Mr. Gurnea	Chief of Bureau
Mr. Hendon	Chief of Bureau
Mr. Pennington	Chief of Bureau
Mr. Quinn	Chief of Bureau
Mr. Nease	Chief of Bureau
Mr. Gandy	Chief of Bureau

WT

DD FORM 1473 (BACK)
(PAGE 2)

UNCLASSIFIED

Security Classification